

NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	TYP	NPR PART NUMBER	C	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS
mm	inch					mm	inch		mm	inch				
95.00mm (3.740"):														
1.00mm (0.039") x 1.20mm (0.047") x 2.00mm (0.079")														
95.00	3.740	HI PERFORM		21-GRN09500NS	1	1.00	0.039	x	3.50	0.138	BF		SR34	GAS NITRIDED
						1.20	0.047	x	3.90	0.154	TUH		CR01	FERROX
						2.00	0.079	x	2.55	0.100	NIF-H		SR34	SOFT NITRIDED
95.00mm (3.740"):														
1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")														
95.00	3.740	HI PERFORM		XC3740	1	1.00	0.039	x	3.40	0.134	BF		SR10	CHROME
						1.20	0.047	x	4.10	0.161	T1		CR01	FERROX
						2.80	0.110	x	3.15	0.124	NIF-S		SR02	CHROME
95.00	3.740	HI PERFORM		21-GNH09500	1	1.00	0.039	x	3.50	0.138	BF		SR34	GAS NITRIDED
						1.20	0.047	x	3.90	0.154	TUH		CR01	FERROX
						2.80	0.110	x	3.10	0.122	NIF-H		SR34	SOFT NITRIDED
95.00mm (3.740"):														
1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")														
95.00	3.740	ADD	ZZ	SWM31148-0	6	1.20	0.047	x	3.50	0.138	BF-IB		SR34	GAS NITRIDED
						1.20	0.047	x	3.40	0.134	TUC		CR01	FERROX
						2.00	0.079	x	2.55	0.100	NIF-H		SR34	SOFT NITRIDED
95.00	3.740	TOYOTA	ZZ	SWT10195-4	6	1.20	0.047	x	3.25	0.128	BF		SR10	CHROME
						1.20	0.047	x	3.40	0.134	TUC		CR01	FERROX
						2.00	0.079	x	2.80	0.110	NIF-H		SR02	CHROME
95.00	3.740	TOYOTA	ZZ	SDT10194-4	6	1.20	0.047	x	2.90	0.114	BF-IB		SR34	GAS NITRIDED
						1.20	0.047	x	2.90	0.114	TUC		SR08	FERROX
						2.00	0.079	x	2.75	0.108	E-BC16		SR34	SOFT NITRIDED
95.00	3.740	TOYOTA	ZZ	SDT10204-4	8	1.20	0.047	x	2.90	0.114	BF-IB		SR34	GAS NITRIDED
						1.20	0.047	x	2.90	0.114	TUC		SR08	FERROX
						2.00	0.079	x	2.75	0.108	E-BC16		SR34	SOFT NITRIDED
95.00	3.740	TOYOTA	ZZ	SWT10233-4	6	1.20	0.047	x	2.90	0.114	BF-IB		SR34	GAS NITRIDED
						1.20	0.047	x	2.90	0.114	TUC		SR08	FERROX
						2.00	0.079	x	2.70	0.106	NIF-H		SR34	SOFT NITRIDED
95.00	3.740	TOYOTA	ZZ	SWT10236-4	8	1.20	0.047	x	2.90	0.114	BF-IB		SR34	GAS NITRIDED
						1.20	0.047	x	3.40	0.134	TUC		CR01	FERROX
						2.00	0.079	x	2.80	0.110	NIF-H		SR34	SOFT NITRIDED
95.00	3.740	TOYOTA	ZY	SDT10193-0	4	1.20	0.047	x	2.90	0.114	BF		SR34	GAS NITRIDED
						1.20	0.047	x	3.40	0.134	TUC		CR01	FERROX
						2.00	0.079	x	2.75	0.108	E-BC16		SR34	SOFT NITRIDED
95.00	3.740	TOYOTA	ZZ	SDT10213-0	4	1.20	0.047	x	2.90	0.114	BF		SR34	GAS NITRIDED
						1.20	0.047	x	2.90	0.114	TUC		SR08	CHROME
						2.00	0.079	x	2.75	0.108	E-BC16		SR34	SOFT NITRIDED
95.00mm (3.740"):														
1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")														
95.00	3.740	HI PERFORM		21-GNFD09500	1	1.20	0.047	x	3.50	0.138	BF-IB		SR35	GAS NITRIDED
						1.20	0.047	x	3.70	0.146	TUH		CR01	FERROX
						2.50	0.098	x	3.15	0.124	NIF-S		SR02	CHROME
95.00mm (3.740"):														
1.20mm (0.047") x 1.20mm (0.047") x 3.00mm (0.118")														
95.00	3.740	TOYOTA	ZZ	SWT10240-4	8	1.20	0.047	x	2.90	0.114	BF-IB		SR34	GAS NITRIDED
						1.20	0.047	x	3.90	0.154	TUC-RB		CR02	FERROX
						3.00	0.118	x	2.55	0.100	NIF-S		SR34	SOFT NITRIDED

NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	TYP	NPR PART NUMBER	C	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch					mm	inch		mm	inch					
95.00mm (3.740"):															
1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")															
95.00	3.740	GMC	ZX	SWG10038-4	6	1.20	0.047	x	3.30	0.130	BF-IB		SR35	GAS NITRIDED	
						1.50	0.059	x	3.70	0.146	T1-RC		CR01	FERROX	
						2.50	0.098	x	2.70	0.106	NIF-H		SR02	CHROME	
95.00	3.740	GMC	ZZ	SWG10039-4	6	1.20	0.047	x	2.90	0.114	BF-IB		SR35	GAS NITRIDED	
						1.50	0.059	x	3.40	0.134	TUC		CR01	FERROX	
						2.50	0.098	x	2.50	0.098	NIF-H		SR02	CHROME	
95.00	3.740	GMC	ZZ	SWG10052-4	6	1.20	0.047	x	3.30	0.130	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	3.40	0.134	TUC		CR01	FERROX	
						2.50	0.098	x	2.50	0.098	NIF-H		SR02	CHROME	
95.00mm (3.740"):															
1.20mm (0.047") x 1.50mm (0.059") x 4.00mm (0.157")															
95.00	3.740	HI PERFORM		XH3740	1	1.20	0.047	x	3.60	0.142	BF		SR10	CHROME	
						1.50	0.059	x	4.10	0.161	T1		CR01	FERROX	
						4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
95.00	3.740	HI PERFORM		XH3740LG	1	1.20	0.047	x	3.60	0.142	BF		SR10	CHROME	
						1.50	0.059	x	4.10	0.161	T1		CR01	FERROX	
						4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
95.00	3.740	HI PERFORM		XJ3740	1	1.20	0.047	x	3.80	0.150	BF		CR10	SOFT NITRIDED	
						1.50	0.059	x	4.10	0.161	T1		CR01	FERROX	
						4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
95.00mm (3.740"):															
1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")															
95.00	3.740	GMC	ZZ	SWG10012-4 (SWL03129-4)	6	1.50	0.059	x	3.45	0.136	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	3.70	0.146	T1-RC		CR01	FERROX	
						3.00	0.118	x	3.25	0.128	NIF-S		SR34	SOFT NITRIDED	
95.00	3.740	GMC	ZY	SWG10012AM-4 (SWL03129AM-4)	6	1.50	0.059	x	3.45	0.136	BF		SR10	CHROME	
						1.50	0.059	x	3.70	0.146	T1-RC		CR01	FERROX	
						3.00	0.118	x	3.25	0.128	NIF-S		SR02	CHROME	
95.00mm (3.740"):															
1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")															
95.00	3.740	TOYOTA	ZZ	SWT10106-4	6	1.50	0.059	x	3.65	0.144	BF		SR10	CHROME	
						1.50	0.059	x	4.00	0.157	T1		CR02	CHROME	
						4.00	0.157	x	3.25	0.128	NIF-S		SR34	SOFT NITRIDED	
95.00	3.740	TOYOTA	ZZ	SWT10139-0	4	1.50	0.059	x	3.50	0.138	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	3.45	0.136	TUC		SR10	CHROME	
						4.00	0.157	x	2.90	0.114	NIF-S		SR34	SOFT NITRIDED	
95.00	3.740	TOYOTA	ZZ	SWT10203-4	8	1.50	0.059	x	3.30	0.130	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	4.00	0.157	T1		CR01	FERROX	
						4.00	0.157	x	2.55	0.100	NIF-S		SR34	SOFT NITRIDED	
95.00mm (3.740"):															
1.75mm (0.069") x 1.50mm (0.059") x 4.00mm (0.157")															
95.00	3.740	TOYOTA	ZZ	SWT10127-0	4	1.75	0.069	x	3.70	0.146	BF		SR10	CHROME	
						1.50	0.059	x	3.80	0.150	T1		CR02	CHROME	
						4.00	0.157	x	3.25	0.128	NIF-S		SR34	SOFT NITRIDED	
95.00	3.740	TOYOTA	ZZ	SWT10245-0	4	1.75	0.069	x	3.30	0.130	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	3.45	0.136	TUC		SR10	CHROME	
						4.00	0.157	x	3.05	0.120	NIF-S		SR34	SOFT NITRIDED	
95.00mm (3.740"):															
1.75mm (0.069") x 2.00mm (0.079") x 3.50mm (0.138")															
95.00	3.740	VOLKSWAGEN		SWE50464-4 DELETE	4	1.75	0.069	x	3.30	0.130	BF		SR10	CHROME	
						2.00	0.079	x	4.00	0.157	PUC		CR01	FERROX	
						3.50	0.138	x	4.10	0.161	E-BC16		CR10	FERROX	

NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch					mm	inch		mm	inch					
95.00mm (3.740"): 1.75mm (0.069") x 2.00mm (0.079") x 4.00mm (0.157")															
95.00	3.740	VOLKSWAGEN		SWE50294-4 DELETE	4	1.75	0.069	x	4.00	0.157	T1		CR10	CHROME	
						2.00	0.079	x	4.00	0.157	PUC		CR01	FERROX	
						4.00	0.157	x	4.00	0.157	E-BC16		CR10	CHROME	
95.00mm (3.740"): 2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")															
95.00	3.740	TOYOTA	ZZ	SWT10151-4	6	2.00	0.079	x	3.30	0.130	BF		SR10	CHROME	
						2.00	0.079	x	4.00	0.157	T1		CR02	CHROME	
						4.00	0.157	x	3.25	0.128	NIF-S		SR34	SOFT NITRIDED	
95.00	3.740	TOYOTA		SWT10140-4 DELETE	6	2.00	0.079	x	3.30	0.130	BF		SR10	CHROME	
						2.00	0.079	x	4.00	0.157	T1		CR01	FERROX	
						4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
95.00mm (3.740"): 2.00mm (0.079") x 2.50mm (0.098") x 4.00mm (0.157")															
95.00	3.740	TOYOTA	ZZ	SWT10049-4	6	2.00	0.079	x	4.20	0.165	BF		CR02	CHROME	
						2.50	0.098	x	4.20	0.165	T1		CR01	FERROX	
						4.00	0.157	x	3.90	0.154	NIF-S		SR02	CHROME	
95.00	3.740	TOYOTA		SXT10049-4 DELETE	6	2.00	0.079	x	4.20	0.165	BF		CR02	4 CHROME	
						2.50	0.098	x	4.20	0.165	T1		CR02	CHROME	
						4.00	0.157	x	3.90	0.154	NIF-S		SR02	CHROME	
95.00mm (3.740"): 2.20mm (0.087") x 2.00mm (0.079") x 3.50mm (0.138")															
95.00 ADD	3.740	FORD	ZZ	SDF30029-0	8	2.20	0.087	x	3.70	0.146	BF-K1		SR35	GAS NITRIDED	
						2.00	0.079	x	4.20	0.165	T1-RC		CR01	FERROX	
						3.50	0.138	x	3.75	0.148	E-BC16		CR02	CHROME	
95.00mm (3.740"): 2.85mm (0.112") x 2.00mm (0.079") x 2.00mm (0.079")															
95.00 ADD	3.740	GMC	ZZ	SDG10063-4	4	2.85	0.112	x	3.95	0.156	BF-K1		CR10	CHROME	
						2.00	0.079	x	4.00	0.157	TUC		CR01	FERROX	
						2.00	0.079	x	2.74	0.108	E-BC16		SR35	SOFT NITRIDED	
95.15mm (3.746"): 1.98mm (5/64") x 1.98mm (5/64") x 4.76mm (3/16")															
95.15	3.746	GMC	ZZ	SWG80023-1	8	1.98	0.078	x	3.50	0.138	BF		SR35	GAS NITRIDED	
						1.98	0.078	x	4.10	0.161	T1-RC		CR01	FERROX	
						4.76	0.187	x	3.85	0.152	NIF-S		SR34	SOFT NITRIDED	
95.15	3.746	GMC	ZZ	SWG10007-1 (SWL03114-1)	6	1.98	0.078	x	3.45	0.136	BF		SR35	GAS NITRIDED	
						1.98	0.078	x	4.10	0.161	T1-RC		CR01	FERROX	
						4.76	0.187	x	3.85	0.152	NIF-S		SR34	SOFT NITRIDED	
95.15	3.746	GMC	ZY	SWG10007AM-1 (SWL03114AM-1)	6	1.98	0.078	x	3.45	0.136	BF		SR10	CHROME	
						1.98	0.078	x	4.10	0.161	T1-RC		CR01	FERROX	
						4.76	0.187	x	3.85	0.152	NIF-S		SR02	CHROME	
95.25mm (3.750"): 1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")															
95.25	3.750	MITSUBISHI	ZZ	SWM31148-1	6	1.20	0.047	x	3.50	0.138	BF-IB		SR34	GAS NITRIDED	
						1.20	0.047	x	3.40	0.134	TUC		CR01	FERROX	
						2.00	0.079	x	2.55	0.100	NIF-H		SR34	SOFT NITRIDED	
95.25	3.750	TOYOTA	ZY	SDT10193-1	4	1.20	0.047	x	2.90	0.114	BF		SR34	GAS NITRIDED	
						1.20	0.047	x	3.40	0.134	TUC		CR01	FERROX	
						2.00	0.079	x	2.75	0.108	E-BC16		SR34	SOFT NITRIDED	
95.25	3.750	TOYOTA	ZZ	SDT10213-1	4	1.20	0.047	x	2.90	0.114	BF		SR34	GAS NITRIDED	
						1.20	0.047	x	2.90	0.114	TUC		SR08	CHROME	
						2.00	0.079	x	2.75	0.108	E-BC16		SR34	SOFT NITRIDED	

NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS
mm	inch					mm	inch		mm	inch				
95.25mm (3.750"): 1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")														
95.25	3.750	HI PERFORM		21-GNFD09525	1	1.20	0.047	x	3.50	0.138	BF-IB	SR35	GAS NITRIDED	
						1.20	0.047	x	3.70	0.146	TUH	CR01	FERROX	
						2.50	0.098	x	3.15	0.124	NIF-S	SR02	CHROME	
95.25mm (3.750"): 1.20mm (0.047") x 1.50mm (0.059") x 4.00mm (0.157")														
95.25	3.750	HI PERFORM		XH3750	1	1.20	0.047	x	3.60	0.142	BF	SR10	CHROME	
						1.50	0.059	x	4.10	0.161	T1	CR01	FERROX	
						4.00	0.157	x	3.30	0.130	NIF-S	SR02	CHROME	
95.25	3.750	HI PERFORM		XH3750LG	1	1.20	0.047	x	3.60	0.142	BF	SR10	CHROME	
						1.50	0.059	x	4.10	0.161	T1	CR01	FERROX	
						4.00	0.157	x	3.30	0.130	NIF-S	SR02	CHROME	
95.25mm (3.750"): 1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")														
95.25	3.750	TOYOTA	ZZ	SWT10139-1	4	1.50	0.059	x	3.50	0.138	BF	SR35	GAS NITRIDED	
						1.50	0.059	x	3.45	0.136	TUC	SR10	CHROME	
						4.00	0.157	x	2.90	0.114	NIF-S	SR34	SOFT NITRIDED	
95.25mm (3.750"): 1.75mm (0.069") x 1.50mm (0.059") x 4.00mm (0.157")														
95.25	3.750	TOYOTA	ZZ	SWT10127-1	4	1.75	0.069	x	3.70	0.146	BF	SR10	CHROME	
						1.50	0.059	x	3.80	0.150	T1	CR02	CHROME	
						4.00	0.157	x	3.25	0.128	NIF-S	SR34	SOFT NITRIDED	
95.25	3.750	TOYOTA	ZZ	SWT10245-1	4	1.75	0.069	x	3.30	0.130	BF	SR35	GAS NITRIDED	
						1.50	0.059	x	3.45	0.136	TUC	SR10	CHROME	
						4.00	0.157	x	3.05	0.120	NIF-S	SR34	SOFT NITRIDED	
95.25mm (3.750"): 2.20mm (0.087") x 2.00mm (0.079") x 3.50mm (0.138")														
95.25 ADD	3.750	FORD	ZZ	SDF30029-1	8	2.20	0.087	x	3.70	0.146	BF-K1	SR35	GAS NITRIDED	
						2.00	0.079	x	4.20	0.165	T1-RC	CR01	FERROX	
						3.50	0.138	x	3.75	0.148	E-BC16	CR02	CHROME	
95.40mm (3.756"): 1.98mm (5/64") x 1.98mm (5/64") x 4.76mm (3/16")														
95.40	3.756	GMC	ZZ	SWG80023-2	8	1.98	0.078	x	3.50	0.138	BF	SR35	GAS NITRIDED	
						1.98	0.078	x	4.10	0.161	T1-RC	CR01	FERROX	
						4.76	0.187	x	3.85	0.152	NIF-S	SR34	SOFT NITRIDED	
95.40	3.756	GMC	ZZ	SWG10007-2 (SWL03114-2)	6	1.98	0.078	x	3.45	0.136	BF	SR35	GAS NITRIDED	
						1.98	0.078	x	4.10	0.161	T1-RC	CR01	FERROX	
						4.76	0.187	x	3.85	0.152	NIF-S	SR34	SOFT NITRIDED	
95.40	3.756	GMC	ZY	SWG10007AM-2 (SWL03114AM-2)	6	1.98	0.078	x	3.45	0.136	BF	SR10	CHROME	
						1.98	0.078	x	4.10	0.161	T1-RC	CR01	FERROX	
						4.76	0.187	x	3.85	0.152	NIF-S	SR02	CHROME	
95.50mm (3.760"): 1.00mm (0.039") x 1.20mm (0.047") x 2.00mm (0.079")														
95.50	3.760	HI PERFORM		21-GRN09550NS	1	1.00	0.039	x	3.50	0.138	BF	SR34	GAS NITRIDED	
						1.20	0.047	x	3.90	0.154	TUH	CR01	FERROX	
						2.00	0.079	x	2.55	0.100	NIF-H	SR34	SOFT NITRIDED	
95.50mm (3.760"): 1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")														
95.50	3.760	HI PERFORM		21-GNH09550	1	1.00	0.039	x	3.50	0.138	BF	SR34	GAS NITRIDED	
						1.20	0.047	x	3.90	0.154	TUH	CR01	FERROX	
						2.80	0.110	x	3.10	0.122	NIF-H	SR34	SOFT NITRIDED	
95.50	3.760	HI PERFORM		XC3760	1	1.00	0.039	x	3.40	0.134	BF	SR10	CHROME	
						1.20	0.047	x	4.10	0.161	T1	CR01	FERROX	
						2.80	0.110	x	3.15	0.124	NIF-S	SR02	CHROME	

NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS
mm	inch					mm	inch		mm	inch				
95.50mm (3.760"):														
1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")														
95.50	3.760	MITSUBISHI	ZZ	SWM31148-2	6	1.20	0.047	x	3.50	0.138	BF-IB		SR34	GAS NITRIDED
						1.20	0.047	x	3.40	0.134	TUC		CR01	FERROX
						2.00	0.079	x	2.55	0.100	NIF-H		SR34	SOFT NIRIDED
95.50	3.760	NISSAN	ZZ	SWN30162-0	6	1.20	0.047	x	3.15	0.124	BF-IB		SR34	GAS NITRIDED
						1.20	0.047	x	3.70	0.146	TUC		CR01	FERROX
						2.00	0.079	x	2.50	0.098	NIF-H		SR34	SOFT NIRIDED
95.50	3.760	NISSAN	ZZ	SWN30184-0	8	1.20	0.047	x	3.15	0.124	BF-IB		SR34	GAS NITRIDED
						1.20	0.047	x	3.70	0.146	TUC		CR01	FERROX
						2.00	0.079	x	2.50	0.098	NIF-H		SR34	SOFT NIRIDED
95.50	3.760	NISSAN	ZZ	SWN30191-0	6	1.20	0.047	x	3.10	0.122	BF		SR34	GAS NITRIDED
						1.20	0.047	x	4.10	0.161	TUC		CR01	FERROX
						2.00	0.079	x	2.50	0.098	NIF-H		SR34	SOFT NIRIDED
95.50	3.760	TOYOTA	ZY	SDT10193-2	4	1.20	0.047	x	2.90	0.114	BF		SR34	GAS NITRIDED
						1.20	0.047		3.40	0.134	TUC		CR01	FERROX
						2.00	0.079	x	2.75	0.108	E-BC16		SR34	SOFT NITRIDED
95.50	3.760	TOYOTA	ZZ	SDT10213-2	4	1.20	0.047	x	2.90	0.114	BF		SR34	GAS NITRIDED
						1.20	0.047		2.90	0.114	TUC		SR08	CHROME
						2.00	0.079	x	2.75	0.108	E-BC16		SR34	SOFT NITRIDED
95.50mm (3.760"):														
1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")														
95.50	3.760	HI PERFORM		21-GNFD09550	1	1.20	0.047	x	3.50	0.138	BF-IB		SR35	GAS NITRIDED
						1.20	0.047	x	3.70	0.146	TUH		CR01	FERROX
						2.50	0.098	x	3.15	0.124	NIF-S		SR02	CHROME
95.50	3.760	NISSAN	ZZ	SWN30131-0	6	1.20	0.047	x	3.45	0.136	BF		SR10	CHROME
						1.20	0.047	x	4.10	0.161	T1		CR01	FERROX
						2.50	0.098	x	2.75	0.108	NIF-S		SR02	CHROME
95.50mm (3.760"):														
1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")														
95.50	3.760	GMC	ZZ	SWG10037-0	4	1.20	0.047	x	3.30	0.130	BF		SR34	GAS NITRIDED
						1.50	0.059	x	3.70	0.146	TUC		CR01	FERROX
						2.50	0.098	x	2.85	0.112	NIF-S		SR02	CHROME
95.50	3.760	GMC	ZZ	SWG10036-0	5	1.20	0.047	x	3.30	0.130	BF		SR34	GAS NITRIDED
						1.50	0.059	x	3.70	0.146	TUC		CR01	FERROX
						2.50	0.098	x	2.85	0.112	NIF-S		SR02	CHROME
95.50mm (3.760"):														
1.20mm (0.047") x 1.50mm (0.059") x 4.00mm (0.157")														
95.50	3.760	HI PERFORM		XH3760	1	1.20	0.047	x	3.60	0.142	BF		SR10	CHROME
						1.50	0.059	x	4.10	0.161	T1		CR01	FERROX
						4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME
95.50	3.760	HI PERFORM		XH3760LG	1	1.20	0.047	x	3.60	0.142	BF		SR10	CHROME
						1.50	0.059	x	4.10	0.161	T1		CR01	FERROX
						4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME
95.50mm (3.760"):														
1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")														
95.50	3.760	TOYOTA	ZZ	SWT10139-2	4	1.50	0.059	x	3.50	0.138	BF		SR35	GAS NITRIDED
						1.50	0.059	x	3.45	0.136	TUC		SR10	CHROME
						4.00	0.157	x	2.90	0.114	NIF-S		SR34	SOFT NITRIDED

NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch					mm	inch		mm	inch					
95.50mm (3.760"):															
1.75mm (0.069") x 1.50mm (0.059") x 4.00mm (0.157")															
95.50	3.760	TOYOTA	ZZ	SWT10127-2	4	1.75	0.069	x	3.70	0.146	BF		SR10	CHROME	
						1.50	0.059	x	3.80	0.150	T1		CR02	CHROME	
						4.00	0.157	x	3.25	0.128	NIF-S		SR34	SOFT NITRIDED	
95.50	3.760	TOYOTA	ZZ	SWT10245-2	4	1.75	0.069	x	3.30	0.130	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	3.45	0.136	TUC		SR10	CHROME	
						4.00	0.157	x	3.05	0.120	NIF-S		SR34	SOFT NITRIDED	
95.50mm (3.760"):															
1.75mm (0.069") x 2.00mm (0.079") x 3.50mm (0.138")															
95.50	3.760	BENZ	ZZ	SWE10404-0 DELETE	4	1.75	0.069	x	3.30	0.130	BF-IB		SR10	CHROME	
						2.00	0.079	x	3.50	0.138	TUC		CR01	FERROX	
						3.50	0.138	x	3.40	0.134	E-BC16		SR10	CHROME	
95.50mm (3.760"):															
2.20mm (0.087") x 2.00mm (0.079") x 3.50mm (0.138")															
95.50 ADD	3.760	FORD	ZZ	SDF30029-2	8	2.20	0.087	x	3.70	0.146	BF-K1		SR35	GAS NITRIDED	
						2.00	0.079	x	4.20	0.165	T1-RC		CR01	FERROX	
						3.50	0.138	x	3.75	0.148	E-BC16		CR02	CHROME	
95.65mm (3.766"):															
1.98mm (5/64") x 1.98mm (5/64") x 4.76mm (3/16")															
95.65	3.766	GMC	ZZ	SWG80023-3	8	1.98	0.078	x	3.50	0.138	BF		SR35	GAS NITRIDED	
						1.98	0.078	x	4.10	0.161	T1-RC		CR01	FERROX	
						4.76	0.187	x	3.85	0.152	NIF-S		SR34	SOFT NITRIDED	
95.65	3.766	GMC	ZZ	SWG10007-3 (SWL03114-3)	6	1.98	0.078	x	3.45	0.136	BF		SR35	GAS NITRIDED	
						1.98	0.078	x	4.10	0.161	T1-RC		CR01	FERROX	
						4.76	0.187	x	3.85	0.152	NIF-S		SR34	SOFT NITRIDED	
95.65	3.766	GMC	ZY	SWG10007AM-3 (SWL03114AM-3)	6	1.98	0.078	x	3.45	0.136	BF		SR10	CHROME	
						1.98	0.078	x	4.10	0.161	T1-RC		CR01	FERROX	
						4.76	0.187	x	3.85	0.152	NIF-S		SR02	CHROME	
95.70mm (3.768"):															
1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")															
95.70	3.768	NISSAN	ZZ	SWN30163-0	6	1.20	0.047	x	3.15	0.124	BF-IB		SR34	GAS NITRIDED	
						1.20	0.047	x	3.70	0.146	TUC		CR01	FERROX	
						2.00	0.079	x	2.50	0.098	NIF-H		SR34	SOFT NITRIDED	
WARNING!!! : NO OVERSIZE															
95.70	3.768	NISSAN	ZZ	SWN30185-0	8	1.20	0.047	x	3.15	0.124	BF-IB		SR34	GAS NITRIDED	
						1.20	0.047	x	3.70	0.146	TUC		CR01	FERROX	
						2.00	0.079	x	2.50	0.098	NIF-H		SR34	SOFT NITRIDED	
WARNING!!! : NO OVERSIZE															
95.70mm (3.768"):															
1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")															
95.70	3.768	NISSAN	ZZ	SWN30132-0 DELETE	6	1.20	0.047	x	3.45	0.136	BF		SR10	CHROME	
						1.20	0.047	x	4.10	0.161	T1		CR01	FERROX	
						2.50	0.098	x	2.75	0.108	NIF-S		SR02	CHROME	
WARNING!!! : NO OVERSIZE															
95.75mm (3.770"):															
1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")															
95.75	3.770	HI PERFORM	ZZ	21-GNH09575	1	1.00	0.039	x	3.50	0.138	BF		SR34	GAS NITRIDED	
						1.20	0.047	x	3.90	0.154	TUH		CR01	FERROX	
						2.80	0.110	x	3.10	0.122	NIF-H		SR34	SOFT NITRIDED	

NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS
mm	inch					mm	inch		mm	inch				
95.75mm (3.770"):														
1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")														
95.75	3.770	MITSUBISHI	ZZ	SWM31148-3	6	1.20	0.047	x	3.50	0.138	BF-IB		SR34	GAS NITRIDED
						1.20	0.047	x	3.40	0.134	TUC		CR01	FERROX
						2.00	0.079	x	2.55	0.100	NIF-H		SR34	SOFT NIRIDED
95.75	3.770	NISSAN	ZZ	SWN30162-1	6	1.20	0.047	x	3.15	0.124	BF-IB		SR34	GAS NITRIDED
						1.20	0.047	x	3.70	0.146	TUC		CR01	FERROX
						2.00	0.079	x	2.50	0.098	NIF-H		SR34	SOFT NIRIDED
95.75	3.770	NISSAN	ZZ	SWN30184-1	8	1.20	0.047	x	3.15	0.124	BF-IB		SR34	GAS NITRIDED
						1.20	0.047	x	3.70	0.146	TUC		CR01	FERROX
						2.00	0.079	x	2.50	0.098	NIF-H		SR34	SOFT NIRIDED
95.75	3.770	NISSAN	ZZ	SWN30191-1	6	1.20	0.047	x	3.10	0.122	BF		SR34	GAS NITRIDED
						1.20	0.047	x	4.10	0.161	TUC		CR01	FERROX
						2.00	0.079	x	2.50	0.098	NIF-H		SR34	SOFT NIRIDED
95.75	3.770	TOYOTA	ZY	SDT10193-3	4	1.20	0.047	x	2.90	0.114	BF		SR34	GAS NITRIDED
						1.20	0.047		3.40	0.134	TUC		CR01	FERROX
						2.00	0.079	x	2.75	0.108	E-BC16		SR34	SOFT NITRIDED
95.75	3.770	TOYOTA	ZZ	SDT10213-3	4	1.20	0.047	x	2.90	0.114	BF		SR34	GAS NITRIDED
						1.20	0.047		2.90	0.114	TUC		SR08	CHROME
						2.00	0.079	x	2.75	0.108	E-BC16		SR34	SOFT NITRIDED
95.75mm (3.770"):														
1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")														
95.75	3.770	HI PERFORM		21-GNFD09575	1	1.20	0.047	x	3.50	0.138	BF-IB		SR35	GAS NITRIDED
						1.20	0.047	x	3.70	0.146	TUH		CR01	FERROX
						2.50	0.098	x	3.15	0.124	NIF-S		SR02	CHROME
95.75	3.770	NISSAN	ZZ	SWN30131-1	6	1.20	0.047	x	3.45	0.136	BF		SR10	CHROME
						1.20	0.047	x	4.10	0.161	T1		CR01	FERROX
						2.50	0.098	x	2.75	0.108	NIF-S		SR02	CHROME
95.75mm (3.770"):														
1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")														
95.75	3.770	GMC	ZZ	SWG10037-1	4	1.20	0.047	x	3.30	0.130	BF		SR34	GAS NITRIDED
						1.50	0.059	x	3.70	0.146	TUC		CR01	FERROX
						2.50	0.098	x	2.85	0.112	NIF-S		SR02	CHROME
95.75	3.770	GMC	ZZ	SWG10036-1	5	1.20	0.047	x	3.30	0.130	BF		SR34	GAS NITRIDED
						1.50	0.059	x	3.70	0.146	TUC		CR01	FERROX
						2.50	0.098	x	2.85	0.112	NIF-S		SR02	CHROME
95.75mm (3.770"):														
1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")														
95.75	3.770	TOYOTA	ZZ	SWT10139-3	4	1.50	0.059	x	3.50	0.138	BF		SR35	GAS NITRIDED
						1.50	0.059	x	3.45	0.136	TUC		SR10	CHROME
						4.00	0.157	x	2.90	0.114	NIF-S		SR34	SOFT NITRIDED
95.75mm (3.770"):														
1.75mm (0.069") x 1.50mm (0.059") x 4.00mm (0.157")														
95.75	3.770	TOYOTA	ZZ	SWT10127-3	4	1.75	0.069	x	3.70	0.146	BF		SR10	CHROME
						1.50	0.059	x	3.80	0.150	T1		CR02	CHROME
						4.00	0.157	x	3.25	0.128	NIF-S		SR34	SOFT NITRIDED
95.75	3.770	TOYOTA	ZZ	SWT10245-3	4	1.75	0.069	x	3.30	0.130	BF		SR35	GAS NITRIDED
						1.50	0.059	x	3.45	0.136	TUC		SR10	CHROME
						4.00	0.157	x	3.05	0.120	NIF-S		SR34	SOFT NITRIDED
95.75mm (3.770"):														
1.75mm (0.069") x 2.00mm (0.079") x 3.50mm (0.138")														
95.75	3.770	BENZ		SWE10404-4 DELETE	4	1.75	0.069	x	3.30	0.130	BF-IB		SR10	CHROME
						2.00	0.079	x	3.50	0.138	TUC		CR01	FERROX
						3.50	0.138	x	3.40	0.134	E-BC16		SR10	CHROME

NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS
mm	inch					mm	inch		mm	inch				
95.75mm (3.770"):		2.20mm (0.087") x 2.00mm (0.079") x 3.50mm (0.138")												
95.75 ADD	3.770	FORD	ZZ	SDF30029-3	8	2.20	0.087	x	3.70	0.146	BF-K1	SR35	GAS NITRIDED	
						2.00	0.079	x	4.20	0.165	T1-RC	CR01	FERROX	
						3.50	0.138	x	3.75	0.148	E-BC16	CR02	CHROME	
95.90mm (3.776"):		1.98mm (5/64") x 1.98mm (5/64") x 4.76mm (3/16")												
95.90	3.776	GMC	ZZ	SWG80023-4	8	1.98	0.078	x	3.50	0.138	BF	SR35	GAS NITRIDED	
						1.98	0.078	x	4.10	0.161	T1-RC	CR01	FERROX	
						4.76	0.187	x	3.85	0.152	NIF-S	SR34	SOFT NITRIDED	
95.90	3.776	GMC	ZZ	SWG10007-4 (SWL03114-4)	6	1.98	0.078	x	3.45	0.136	BF	SR35	GAS NITRIDED	
						1.98	0.078	x	4.10	0.161	T1-RC	CR01	FERROX	
						4.76	0.187	x	3.85	0.152	NIF-S	SR34	SOFT NITRIDED	
95.90	3.776	GMC	ZY	SWG10007AM-4 (SWL03114AM-4)	6	1.98	0.078	x	3.45	0.136	BF	SR10	CHROME	
						1.98	0.078	x	4.10	0.161	T1-RC	CR01	FERROX	
						4.76	0.187	x	3.85	0.152	NIF-S	SR02	CHROME	
96.00mm (3.780"):		1.00mm (0.039") x 1.20mm (0.047") x 2.00mm (0.079")												
96.00	3.780	HI PERFORM		21-GRN09600NS	1	1.00	0.039	x	3.50	0.138	BF	SR34	GAS NITRIDED	
						1.20	0.047	x	3.90	0.154	TUH	CR01	FERROX	
						2.00	0.079	x	2.55	0.100	NIF-H	SR34	SOFT NITRIDED	
96.00mm (3.780"):		1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")												
96.00	3.780	HI PERFORM		21-GNH09600	1	1.00	0.039	x	3.50	0.138	BF	SR34	GAS NITRIDED	
						1.20	0.047	x	3.90	0.154	TUH	CR01	FERROX	
						2.80	0.110	x	3.10	0.122	NIF-H	SR34	SOFT NITRIDED	
96.00mm (3.780"):		1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")												
96.00	3.780	CHRYSLER	ZZ	SWC10025-0	6	1.20	0.047	x	3.10	0.122	BF	SR34	GAS NITRIDED	
						1.20	0.047	x	3.70	0.146	TUC	CR01	FERROX	
						2.00	0.079	x	2.55	0.100	NIF-H	SR34	SOFT NITRIDED	
96.00	3.780	HYUNDAI	ZZ	SWG30064-0	6	1.20	0.047	x	3.05	0.120	BF-IB	SR10	CHROME	
						1.20	0.047	x	3.70	0.146	TUC	CR01	FERROX	
						2.00	0.079	x	2.55	0.100	NIF-H	SR34	SOFT NITRIDED	
96.00	3.780	MITSUBISHI	ZZ	SWM31148-4	6	1.20	0.047	x	3.50	0.138	BF-IB	SR34	GAS NITRIDED	
						1.20	0.047	x	3.40	0.134	TUC	CR01	FERROX	
						2.00	0.079	x	2.55	0.100	NIF-H	SR34	SOFT NITRIDED	
96.00	3.780	NISSAN	ZZ	SWN30162-2	6	1.20	0.047	x	3.15	0.124	BF-IB	SR34	GAS NITRIDED	
						1.20	0.047	x	3.70	0.146	TUC	CR01	FERROX	
						2.00	0.079	x	2.50	0.098	NIF-H	SR34	SOFT NITRIDED	
96.00	3.780	NISSAN	ZZ	SWN30184-2	8	1.20	0.047	x	3.15	0.124	BF-IB	SR34	GAS NITRIDED	
						1.20	0.047	x	3.70	0.146	TUC	CR01	FERROX	
						2.00	0.079	x	2.50	0.098	NIF-H	SR34	SOFT NITRIDED	
96.00	3.780	NISSAN	ZZ	SWN30191-2	6	1.20	0.047	x	3.10	0.122	BF	SR34	GAS NITRIDED	
						1.20	0.047	x	4.10	0.161	TUC	CR01	FERROX	
						2.00	0.079	x	2.50	0.098	NIF-H	SR34	SOFT NITRIDED	
96.00	3.780	TOYOTA	ZY	SDT10193-4	4	1.20	0.047	x	2.90	0.114	BF	SR34	GAS NITRIDED	
						1.20	0.047		3.40	0.134	TUC	CR01	FERROX	
						2.00	0.079	x	2.75	0.108	E-BC16	SR34	SOFT NITRIDED	
96.00	3.780	TOYOTA	ZZ	SDT10213-4	4	1.20	0.047	x	2.90	0.114	BF	SR34	GAS NITRIDED	
						1.20	0.047		2.90	0.114	TUC	SR08	CHROME	
						2.00	0.079	x	2.75	0.108	E-BC16	SR34	SOFT NITRIDED	

NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch					mm	inch		mm	inch					
96.00mm (3.780"):															
1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")															
96.00	3.780	HI PERFORM		21-GNFD09600	1	1.20	0.047	x	3.50	0.138	BF-IB		SR35	GAS NITRIDED	
						1.20	0.047	x	3.70	0.146	TUH		CR01	FERROX	
						2.50	0.098	x	3.15	0.124	NIF-S		SR02	CHROME	
96.00	3.780	NISSAN	ZZ	SWN30131-2	6	1.20	0.047	x	3.45	0.136	BF		SR10	CHROME	
						1.20	0.047	x	4.10	0.161	T1		CR01	FERROX	
						2.50	0.098	x	2.75	0.108	NIF-S		SR02	CHROME	
96.00mm (3.780"):															
1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")															
96.00	3.780	GMC	ZZ	SWG10037-2	4	1.20	0.047	x	3.30	0.130	BF		SR34	GAS NITRIDED	
						1.50	0.059	x	3.70	0.146	TUC		CR01	FERROX	
						2.50	0.098	x	2.85	0.112	NIF-S		SR02	CHROME	
96.00	3.780	GMC	ZZ	SWG10059-0	8	1.20	0.047	x	3.30	0.130	BF		SR34	GAS NITRIDED	
						1.50	0.059	x	3.70	0.146	TUH		CR01	FERROX	
						2.50	0.098	x	3.00	0.118	NIF-H		SR02	CHROME	
96.00	3.780	GMC	ZZ	SWG10036-2	5	1.20	0.047	x	3.30	0.130	BF		SR34	GAS NITRIDED	
						1.50	0.059	x	3.70	0.146	TUC		CR01	FERROX	
						2.50	0.098	x	2.85	0.112	NIF-S		SR02	CHROME	
96.00mm (3.780"):															
1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")															
96.00	3.780	CHRYSLER	ZX	SWC10015-0 (SWL03188-0)	6	1.20	0.047	x	3.50	0.138	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	4.00	0.157	T1-RC		CR01	FERROX	
						3.00	0.118	x	3.20	0.126	NIF-S		SR34	SOFT NITRIDED	
96.00	3.780	CHRYSLER	ZZ	SWC10013-0 (SWL03225-0)	6	1.20	0.047	x	3.50	0.138	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	4.00	0.157	TUC		CR01	FERROX	
						3.00	0.118	x	3.45	0.136	NIF-S		SR02	CHROME	
96.00mm (3.780"):															
1.20mm (0.047") x 1.50mm (0.059") x 4.00mm (0.157")															
96.00	3.780	HI PERFORM		XH3780	1	1.20	0.047	x	3.60	0.142	BF		SR10	CHROME	
						1.50	0.059	x	4.10	0.161	T1		CR01	FERROX	
						4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
96.00	3.780	HI PERFORM		XH3780LG	1	1.20	0.047	x	3.60	0.142	BF		SR10	CHROME	
						1.50	0.059	x	4.10	0.161	T1		CR01	FERROX	
						4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
96.00mm (3.780"):															
1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")															
96.00	3.780	CHRYSLER	ZZ	SWC10005-0 (SWL03105-0)	6	1.50	0.059	x	3.45	0.136	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	4.00	0.157	T1-RC		CR01	FERROX	
						3.00	0.118	x	3.45	0.136	NIF-S		SR34	SOFT NITRIDED	
96.00	3.780	CHRYSLER	ZY	SWC10005AM-0 (SWL03105AM-0)	6	1.50	0.059	x	3.45	0.136	BF		SR10	CHROME	
						1.50	0.059	x	4.00	0.157	T1-RC		CR01	FERROX	
						3.00	0.118	x	3.45	0.136	NIF-S		SR02	CHROME	
96.00	3.780	GMC	ZZ	SWG10005-0 (SWL03106-0)	8	1.50	0.059	x	3.45	0.136	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	4.00	0.157	T1-RC		CR01	FERROX	
						3.00	0.118	x	3.25	0.128	NIF-S		SR34	SOFT NITRIDED	
96.00	3.780	GMC	ZY	SWG10005AM-0 (SWL03106AM-0)	8	1.50	0.059	x	3.45	0.136	BF		SR10	CHROME	
						1.50	0.059	x	4.00	0.157	T1-RC		CR01	FERROX	
						3.00	0.118	x	3.25	0.128	NIF-S		SR02	CHROME	
96.00	3.780	MAZDA	ZZ	SWT20076-0	4	1.50	0.059	x	4.00	0.157	BF		CR02	CHROME	
						1.50	0.059	x	4.00	0.157	TUC		CR01	FERROX	
						3.00	0.118	x	3.45	0.136	NIF-S		SR02	CHROME	

NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS
mm	inch					mm	inch		mm	inch				
96.00mm (3.780"):														
1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")														
96.00	3.780	FORD	ZX	SWL03268-0	4	1.50	0.059	x	3.45	0.136	BF		CR02	CHROME
						1.50	0.059	x	4.00	0.157	T1-RC		CR01	FERROX
						4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME
96.00	3.780	MAZDA	ZZ	SWT20071-0	4	1.50	0.059	x	4.00	0.157	BF		CR02	CHROME
						1.50	0.059	x	4.00	0.157	TUC		CR01	FERROX
						4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME
96.00	3.780	TOYOTA	ZZ	SWT10139-4	4	1.50	0.059	x	3.50	0.138	BF		SR35	GAS NITRIDED
						1.50	0.059	x	3.45	0.136	TUC		SR10	CHROME
						4.00	0.157	x	2.90	0.114	NIF-S		SR34	SOFT NITRIDED
96.00mm (3.780"):														
1.75mm (0.069") x 1.50mm (0.059") x 4.00mm (0.157")														
96.00	3.780	TOYOTA	ZZ	SWT10127-4	4	1.75	0.069	x	3.70	0.146	BF		SR10	CHROME
						1.50	0.059	x	3.80	0.150	T1		CR02	CHROME
						4.00	0.157	x	3.25	0.128	NIF-S		SR34	SOFT NITRIDED
96.00	3.780	TOYOTA	ZZ	SWT10245-4	4	1.75	0.069	x	3.30	0.130	BF		SR35	GAS NITRIDED
						1.50	0.059	x	3.45	0.136	TUC		SR10	CHROME
						4.00	0.157	x	3.05	0.120	NIF-S		SR34	SOFT NITRIDED
96.00mm (3.780"):														
1.75mm (0.069") x 1.75mm (0.069") x 3.50mm (0.138")														
96.00	3.780	VOLVO		SWE54274-0 DELETE	4	1.75	0.069	x	3.25	0.128	BF-IB		SR10	CHROME
						1.75	0.069	x	3.50	0.138	TUC		CR01	FERROX
						3.50	0.138	x	3.40	0.118	NIF-S		SR02	CHROME
96.00mm (3.780"):														
1.75mm (0.069") x 2.00mm (0.079") x 3.50mm (0.138")														
96.00	3.780	BENZ		SWE10404-2 DELETE	4	1.75	0.069	x	3.30	0.130	BF-IB		SR10	CHROME
						2.00	0.079	x	3.50	0.138	TUC		CR01	FERROX
						3.50	0.138	x	3.40	0.134	E-BC16		SR10	CHROME
96.00mm (3.780"):														
2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")														
96.00	3.780	NISSAN	ZZ	SWN30122-0	6	2.00	0.079	x	3.30	0.130	BF		SR35	GAS NITRIDED
						2.00	0.079	x	4.20	0.165	T1		CR02	CHROME
						4.00	0.157	x	3.25	0.128	NIF-S		SR34	SOFT NITRIDED
96.00mm (3.780"):														
2.20mm (0.087") x 2.00mm (0.079") x 3.50mm (0.138")														
96.00 ADD	3.780	FORD	ZZ	SDF30029-4	8	2.20	0.087	x	3.70	0.146	BF-K1		SR35	GAS NITRIDED
						2.00	0.079	x	4.20	0.165	T1-RC		CR01	FERROX
						3.50	0.138	x	3.75	0.148	E-BC16		CR02	CHROME
96.25mm (3.789"):														
1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")														
96.25	3.789	HI PERFORM		21-GNH09625	1	1.00	0.039	x	3.50	0.138	BF		SR34	GAS NITRIDED
						1.20	0.047	x	3.90	0.154	TUH		CR01	FERROX
						2.80	0.110	x	3.10	0.122	NIF-H		SR34	SOFT NITRIDED
96.25mm (3.789"):														
1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")														
96.25	3.789	CHRYSLER	ZZ	SWC10025-1	6	1.20	0.047	x	3.10	0.122	BF		SR34	GAS NITRIDED
						1.20	0.047	x	3.70	0.146	TUC		CR01	FERROX
						2.00	0.079	x	2.55	0.100	NIF-H		SR34	SOFT NITRIDED
96.25	3.789	HYUNDAI	ZZ	SWG30064-1	6	1.20	0.047	x	3.05	0.120	BF-IB		SR10	CHROME
						1.20	0.047	x	3.70	0.146	TUC		CR01	FERROX
						2.00	0.079	x	2.55	0.100	NIF-H		SR34	SOFT NITRIDED
96.25	3.789	NISSAN	ZZ	SWN30162-3	6	1.20	0.047	x	3.15	0.124	BF-IB		SR34	GAS NITRIDED
						1.20	0.047	x	3.70	0.146	TUC		CR01	FERROX
						2.00	0.079	x	2.50	0.098	NIF-H		SR34	SOFT NITRIDED

NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	TYP	NPR PART NUMBER	C	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS
mm	inch					mm	inch		mm	inch				
96.25	3.789	NISSAN	ZZ	SWN30184-3	8	1.20	0.047	x	3.15	0.124	BF-IB	SR34	GAS NITRIDED	
						1.20	0.047	x	3.70	0.146	TUC	CR01	FERROX	
						2.00	0.079	x	2.50	0.098	NIF-H	SR34	SOFT NIRIDED	
96.25	3.789	NISSAN	ZZ	SWN30191-3	6	1.20	0.047	x	3.10	0.122	BF	SR34	GAS NITRIDED	
						1.20	0.047	x	4.10	0.161	TUC	CR01	FERROX	
						2.00	0.079	x	2.50	0.098	NIF-H	SR34	SOFT NIRIDED	
96.25mm (3.789"): 1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")														
96.25	3.789	NISSAN	ZZ	SWN30131-3	6	1.20	0.047	x	3.45	0.136	BF	SR10	CHROME	
						1.20	0.047	x	4.10	0.161	T1	CR01	FERROX	
						2.50	0.098	x	2.75	0.108	NIF-S	SR02	CHROME	
96.25mm (3.789"): 1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")														
96.25	3.789	GMC	ZZ	SWG10037-3	4	1.20	0.047	x	3.30	0.130	BF	SR34	GAS NITRIDED	
						1.50	0.059	x	3.70	0.146	TUC	CR01	FERROX	
						2.50	0.098	x	2.85	0.112	NIF-S	SR02	CHROME	
96.25	3.789	GMC	ZZ	SWG10059-1	8	1.20	0.047	x	3.30	0.130	BF	SR34	GAS NITRIDED	ADD
						1.50	0.059	x	3.70	0.146	TUH	CR01	FERROX	
						2.50	0.098	x	3.00	0.118	NIF-H	SR02	CHROME	
96.25	3.789	GMC	ZZ	SWG10036-3	5	1.20	0.047	x	3.30	0.130	BF	SR34	GAS NITRIDED	
						1.50	0.059	x	3.70	0.146	TUC	CR01	FERROX	
						2.50	0.098	x	2.85	0.112	NIF-S	SR02	CHROME	
96.25mm (3.789"): 1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")														
96.25	3.789	CHRYSLER	ZX	SWC10015-1 (SWL03188-1)	6	1.20	0.047	x	3.50	0.138	BF	SR35	GAS NITRIDED	
						1.50	0.059	x	4.00	0.157	T1-RC	CR01	FERROX	
						3.00	0.118	x	3.20	0.126	NIF-S	SR34	SOFT NITRIDED	
96.25	3.789	CHRYSLER	ZZ	SWC10013-1 (SWL03225-1)	6	1.20	0.047	x	3.50	0.138	BF	SR35	GAS NITRIDED	
						1.50	0.059	x	4.00	0.157	TUC	CR01	FERROX	
						3.00	0.118	x	3.45	0.136	NIF-S	SR02	CHROME	
96.25mm (3.789"): 1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")														
96.25	3.789	CHRYSLER	ZZ	SWC10005-1 (SWL03105-1)	6	1.50	0.059	x	3.45	0.136	BF	SR35	GAS NITRIDED	
						1.50	0.059	x	4.00	0.157	T1-RC	CR01	FERROX	
						3.00	0.118	x	3.45	0.136	NIF-S	SR34	SOFT NITRIDED	
96.25	3.789	CHRYSLER	ZY	SWC10005AM-1 (SWL03105AM-1)	6	1.50	0.059	x	3.45	0.136	BF	SR10	CHROME	
						1.50	0.059	x	4.00	0.157	T1-RC	CR01	FERROX	
						3.00	0.118	x	3.45	0.136	NIF-S	SR02	CHROME	
96.25	3.789	GMC	ZZ	SWG10005-1 (SWL03106-1)	8	1.50	0.059	x	3.45	0.136	BF	SR35	GAS NITRIDED	
						1.50	0.059	x	4.00	0.157	T1-RC	CR01	FERROX	
						3.00	0.118	x	3.25	0.128	NIF-S	SR34	SOFT NITRIDED	
96.25	3.789	GMC	ZY	SWG10005AM-1 (SWL03106AM-1)	8	1.50	0.059	x	3.45	0.136	BF	SR10	CHROME	
						1.50	0.059	x	4.00	0.157	T1-RC	CR01	FERROX	
						3.00	0.118	x	3.25	0.128	NIF-S	SR02	CHROME	
96.25	3.789	MAZDA	ZZ	SWT20076-1	4	1.50	0.059	x	4.00	0.157	BF	CR02	CHROME	
						1.50	0.059	x	4.00	0.157	TUC	CR01	FERROX	
						3.00	0.118	x	3.45	0.136	NIF-S	SR02	CHROME	

NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch					mm	inch		mm	inch					
96.25mm (3.789"):															
1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")															
96.25	3.789	FORD	ZX	SWL03268-1	4	1.50	0.059	x	3.45	0.136	BF		CR02	CHROME	
						1.50	0.059	x	4.00	0.157	T1-RC		CR01	FERROX	
						4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
96.25	3.789	MAZDA	ZZ	SWT20071-1	4	1.50	0.059	x	4.00	0.157	BF		CR02	CHROME	
						1.50	0.059	x	4.00	0.157	TUC		CR01	FERROX	
						4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
96.25mm (3.789"):															
1.75mm (0.069") x 1.75mm (0.069") x 3.50mm (0.138")															
96.25	3.789	VOLVO		SWE51274-1 DELETE	4	1.75	0.069	x	3.25	0.128	BF-IB		SR10	CHROME	
						1.75	0.069	x	3.50	0.138	TUC		CR01	FERROX	
						3.50	0.138	x	3.40	0.118	NIF-S		SR02	CHROME	
96.25mm (3.789"):															
1.75mm (0.069") x 2.00mm (0.079") x 3.50mm (0.138")															
96.25	3.789	BENZ		SWE10404-3 DELETE	4	1.75	0.069	x	3.30	0.130	BF-IB		SR10	CHROME	
						2.00	0.079	x	3.50	0.138	TUC		CR01	FERROX	
						3.50	0.138	x	3.40	0.134	E-BC16		SR10	CHROME	
96.25mm (3.789"):															
2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")															
96.25	3.789	NISSAN	ZZ	SWN30122-1	6	2.00	0.079	x	3.30	0.130	BF		SR35	GAS NITRIDED	
						2.00	0.079	x	4.20	0.165	T1		CR02	CHROME	
						4.00	0.157	x	3.25	0.128	NIF-S		SR34	SOFT NITRIDED	
96.50mm (3.799"):															
1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")															
96.50	3.799	HI PERFORM		21-GNH09650	1	1.00	0.039	x	3.50	0.138	BF		SR34	GAS NITRIDED	
						1.20	0.047	x	3.90	0.154	TUH		CR01	FERROX	
						2.80	0.110	x	3.10	0.122	NIF-H		SR34	SOFT NITRIDED	
96.50mm (3.799"):															
1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")															
96.50	3.799	CHRYSLER	ZZ	SWC10025-2	6	1.20	0.047	x	3.10	0.122	BF		SR34	GAS NITRIDED	
						1.20	0.047	x	3.70	0.146	TUC		CR01	FERROX	
						2.00	0.079	x	2.55	0.100	NIF-H		SR34	SOFT NITRIDED	
96.50	3.799	HYUNDAI	ZZ	SWG30064-2	6	1.20	0.047	x	3.05	0.120	BF-IB		SR10	CHROME	
						1.20	0.047	x	3.70	0.146	TUC		CR01	FERROX	
						2.00	0.079	x	2.55	0.100	NIF-H		SR34	SOFT NITRIDED	
96.50	3.799	NISSAN	ZZ	SWN30162-4	6	1.20	0.047	x	3.15	0.124	BF-IB		SR34	GAS NITRIDED	
						1.20	0.047	x	3.70	0.146	TUC		CR01	FERROX	
						2.00	0.079	x	2.50	0.098	NIF-H		SR34	SOFT NITRIDED	
96.50	3.799	NISSAN	ZZ	SWN30184-4	8	1.20	0.047	x	3.15	0.124	BF-IB		SR34	GAS NITRIDED	
						1.20	0.047	x	3.70	0.146	TUC		CR01	FERROX	
						2.00	0.079	x	2.50	0.098	NIF-H		SR34	SOFT NITRIDED	
96.50	3.799	NISSAN	ZZ	SWN30191-4	6	1.20	0.047	x	3.10	0.122	BF		SR34	GAS NITRIDED	
						1.20	0.047	x	4.10	0.161	TUC		CR01	FERROX	
						2.00	0.079	x	2.50	0.098	NIF-H		SR34	SOFT NITRIDED	
96.50mm (3.799"):															
1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")															
96.50	3.799	NISSAN	ZZ	SWN30131-4	6	1.20	0.047	x	3.45	0.136	BF		SR10	CHROME	
						1.20	0.047	x	4.10	0.161	T1		CR01	FERROX	
						2.50	0.098	x	2.75	0.108	NIF-S		SR02	CHROME	

NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch					mm	inch		mm	inch					
96.50mm (3.799"):															
1.20mm (0.047") x 1.50mm (0.059") x 2.00mm (0.079")															
96.50	3.799	GMC	ZZ	SWG10003-0 (SWL03091-0)	6	1.20	0.047	x	3.65	0.144	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	3.80	0.150	T1-RC		CR01	FERROX	
						2.00	0.079	x	3.05	0.120	NIF-H		SR34	SOFT NITRIDED	
96.50	3.799	GMC	ZY	SWG10003AM-0 (SWL03091AM-0)	6	1.20	0.047	x	3.65	0.144	BF		SR10	CHROME	
						1.50	0.059	x	3.80	0.150	T1-RC		CR01	FERROX	
						2.00	0.079	x	3.05	0.120	NIF-H		SR02	CHROME	
96.50mm (3.799"):															
1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")															
96.50	3.799	GMC	ZZ	SWG10037-4	4	1.20	0.047	x	3.30	0.130	BF		SR34	GAS NITRIDED	
						1.50	0.059	x	3.70	0.146	TUC		CR01	FERROX	
						2.50	0.098	x	2.85	0.112	NIF-S		SR02	CHROME	
96.50	3.799	GMC	ZZ	SWG10059-2	8	1.20	0.047	x	3.30	0.130	BF		SR34	GAS NITRIDED	
						1.50	0.059	x	3.70	0.146	TUH		CR01	FERROX	
						2.50	0.098	x	3.00	0.118	NIF-H		SR02	CHROME	
96.50	3.799	GMC	ZZ	SWG10036-4	5	1.20	0.047	x	3.30	0.130	BF		SR34	GAS NITRIDED	
						1.50	0.059	x	3.70	0.146	TUC		CR01	FERROX	
						2.50	0.098	x	2.85	0.112	NIF-S		SR02	CHROME	
96.50mm (3.799"):															
1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")															
96.50	3.799	CHRYSLER	ZX	SWC10015-2 (SWL03188-2)	6	1.20	0.047	x	3.50	0.138	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	4.00	0.157	T1-RC		CR01	FERROX	
						3.00	0.118	x	3.20	0.126	NIF-S		SR34	SOFT NITRIDED	
96.50	3.799	CHRYSLER	ZZ	SWC10013-2 (SWL03225-2)	6	1.20	0.047	x	3.50	0.138	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	4.00	0.157	TUC		CR01	FERROX	
						3.00	0.118	x	3.45	0.136	NIF-S		SR02	CHROME	
96.50	3.799	GMC	ZZ	SWG10006-0 (SWL03107-0)	6	1.20	0.047	x	3.65	0.144	BF		SR10	CHROME	
						1.50	0.059	x	3.80	0.150	T1-RC		CR01	FERROX	
						3.00	0.118	x	2.95	0.116	NIF-S		SR02	CHROME	
96.50mm (3.799"):															
1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")															
96.50	3.799	CHRYSLER	ZZ	SWC10005-2 (SWL03105-2)	6	1.50	0.059	x	3.45	0.136	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	4.00	0.157	T1-RC		CR01	FERROX	
						3.00	0.118	x	3.45	0.136	NIF-S		SR34	SOFT NITRIDED	
96.50	3.799	CHRYSLER	ZY	SWC10005AM-2 (SWL03105AM-2)	6	1.50	0.059	x	3.45	0.136	BF		SR10	CHROME	
						1.50	0.059	x	4.00	0.157	T1-RC		CR01	FERROX	
						3.00	0.118	x	3.45	0.136	NIF-S		SR02	CHROME	
96.50	3.799	GMC	ZZ	SWG10005-2 (SWL03106-2)	8	1.50	0.059	x	3.45	0.136	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	4.00	0.157	T1-RC		CR01	FERROX	
						3.00	0.118	x	3.25	0.128	NIF-S		SR34	SOFT NITRIDED	
96.50	3.799	GMC	ZY	SWG10005AM-2 (SWL03106AM-2)	8	1.50	0.059	x	3.45	0.136	BF		SR10	CHROME	
						1.50	0.059	x	4.00	0.157	T1-RC		CR01	FERROX	
						3.00	0.118	x	3.25	0.128	NIF-S		SR02	CHROME	
96.50	3.799	MAZDA	ZZ	SWT20076-2	4	1.50	0.059	x	4.00	0.157	BF		CR02	CHROME	
						1.50	0.059	x	4.00	0.157	TUC		CR01	FERROX	
						3.00	0.118	x	3.45	0.136	NIF-S		SR02	CHROME	

NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch					mm	inch		mm	inch					
96.50mm (3.799"): 1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")															
96.50	3.799	FORD	ZX	SWL03268-2	4	1.50	0.059	x	3.45	0.136	BF		CR02	CHROME	
						1.50	0.059	x	4.00	0.157	T1-RC		CR01	FERROX	
						4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
96.50	3.799	MAZDA	ZZ	SWT20071-2	4	1.50	0.059	x	4.00	0.157	BF		CR02	CHROME	
						1.50	0.059	x	4.00	0.157	TUC		CR01	FERROX	
						4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
96.50mm (3.799"): 1.50mm (0.059") x 1.75mm (0.069") x 3.00mm (0.118")															
96.50	3.799	BENZ		SWE10788-0 DELETE	8	1.50	0.059	x	3.70	0.146	BF-IB		SR10	CHROME	
						1.75	0.069	x	4.10	0.161	TUC		CR01	FERROX	
						3.00	0.118	x	3.20	0.126	E-BC16		SR10	CHROME	
96.50mm (3.799"): 1.75mm (0.069") x 1.75mm (0.069") x 3.50mm (0.138")															
96.50	3.799	VOLVO		SWE51274-2 DELETE	4	1.75	0.069	x	3.25	0.128	BF-IB		SR10	CHROME	
						1.75	0.069	x	3.50	0.138	TUC		CR01	FERROX	
						3.50	0.138	x	3.40	0.118	NIF-S		SR02	CHROME	
96.50mm (3.799"): 1.75mm (0.069") x 2.00mm (0.079") x 3.50mm (0.138")															
96.50	3.799	BENZ		SWE10248-0 DELETE	8	1.75	0.069	x	3.20	0.126	BF-IB		SR10	CHROME	
						2.00	0.079	x	3.50	0.138	T1		CR01	FERROX	
						3.50	0.138	x	3.40	0.134	E-BC16		SR10	CHROME	
96.50	3.799	BENZ		SWE10404-4 DELETE	4	1.75	0.069	x	3.30	0.130	BF-IB		SR10	CHROME	
						2.00	0.079	x	3.50	0.138	TUC		CR01	FERROX	
						3.50	0.138	x	3.40	0.134	E-BC16		SR10	CHROME	
96.50mm (3.799"): 1.98mm (0.078") x 1.98mm (0.078") x 4.76mm (0.187")															
96.50	3.799	GMC	ZY	SWG10023-0 (SWL03233-0)	8	1.98	0.078	x	3.50	0.138	BF		SR35	GAS NITRIDED	
						1.98	0.078	x	4.40	0.173	T1-RC		CR01	FERROX	
						4.76	0.187	x	4.05	0.159	NIF-S		SR02	CHROME	
96.50mm (3.799"): 2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")															
96.50	3.799	NISSAN	ZZ	SWN30122-2	6	2.00	0.079	x	3.30	0.130	BF		SR35	GAS NITRIDED	
						2.00	0.079	x	4.20	0.165	T1		CR02	CHROME	
						4.00	0.157	x	3.25	0.128	NIF-S		SR34	SOFT NITRIDED	
96.75mm (3.809"): 1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")															
96.75	3.809	CHRYSLER	ZZ	SWC10025-3	6	1.20	0.047	x	3.10	0.122	BF		SR34	GAS NITRIDED	
						1.20	0.047	x	3.70	0.146	TUC		CR01	FERROX	
						2.00	0.079	x	2.55	0.100	NIF-H		SR34	SOFT NITRIDED	
96.75	3.809	HYUNDAI	ZZ	SWG30064-3	6	1.20	0.047	x	3.05	0.120	BF-IB		SR10	CHROME	
						1.20	0.047	x	3.70	0.146	TUC		CR01	FERROX	
						2.00	0.079	x	2.55	0.100	NIF-H		SR34	SOFT NITRIDED	
96.75mm (3.809"): 1.20mm (0.047") x 1.50mm (0.059") x 2.00mm (0.079")															
96.75	3.809	GMC	ZZ	SWG10003-1 (SWL03091-1)	6	1.20	0.047	x	3.65	0.144	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	3.80	0.150	T1-RC		CR01	FERROX	
						2.00	0.079	x	3.05	0.120	NIF-H		SR34	SOFT NITRIDED	
96.75	3.809	GMC	ZY	SWG10003AM-1 (SWL03091AM-1)	6	1.20	0.047	x	3.65	0.144	BF		SR10	CHROME	
						1.50	0.059	x	3.80	0.150	T1-RC		CR01	FERROX	
						2.00	0.079	x	3.05	0.120	NIF-H		SR02	CHROME	
96.75mm (3.809"): 1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")															
96.75 ADD	3.809	GMC	ZZ	SWG10059-3	8	1.20	0.047	x	3.30	0.130	BF		SR34	GAS NITRIDED	
						1.50	0.059	x	3.70	0.146	TUH		CR01	FERROX	
						2.50	0.098	x	3.00	0.118	NIF-H		SR02	CHROME	

NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch					mm	inch		mm	inch					
96.75mm (3.809"): 1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")															
96.75	3.809	CHRYSLER	ZX	SWC10015-3 (SWL03188-3)	6	1.20	0.047	x	3.50	0.138	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	4.00	0.157	T1-RC		CR01	FERROX	
						3.00	0.118	x	3.20	0.126	NIF-S		SR34	SOFT NITRIDED	
96.75	3.809	CHRYSLER	ZZ	SWC10013-3 (SWL03225-3)	6	1.20	0.047	x	3.50	0.138	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	4.00	0.157	TUC		CR01	FERROX	
						3.00	0.118	x	3.45	0.136	NIF-S		SR02	CHROME	
96.75	3.809	GMC	ZZ	SWG10006-1 (SWL03107-1)	6	1.20	0.047	x	3.65	0.144	BF		SR10	CHROME	
						1.50	0.059	x	3.80	0.150	T1-RC		CR01	FERROX	
						3.00	0.118	x	2.95	0.116	NIF-S		SR02	CHROME	
96.75mm (3.809"): 1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")															
96.75	3.809	CHRYSLER	ZZ	SWC10005-3 (SWL03105-3)	6	1.50	0.059	x	3.45	0.136	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	4.00	0.157	T1-RC		CR01	FERROX	
						3.00	0.118	x	3.45	0.136	NIF-S		SR34	SOFT NITRIDED	
96.75	3.809	CHRYSLER	ZY	SWC10005AM-3 (SWL03105AM-3)	6	1.50	0.059	x	3.45	0.136	BF		SR10	CHROME	
						1.50	0.059	x	4.00	0.157	T1-RC		CR01	FERROX	
						3.00	0.118	x	3.45	0.136	NIF-S		SR02	CHROME	
96.75	3.809	GMC	ZZ	SWG10005-3 (SWL03106-3)	8	1.50	0.059	x	3.45	0.136	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	4.00	0.157	T1-RC		CR01	FERROX	
						3.00	0.118	x	3.25	0.128	NIF-S		SR34	SOFT NITRIDED	
96.75	3.809	GMC	ZY	SWG10005AM-3 (SWL03106AM-3)	8	1.50	0.059	x	3.45	0.136	BF		SR10	CHROME	
						1.50	0.059	x	4.00	0.157	T1-RC		CR01	FERROX	
						3.00	0.118	x	3.25	0.128	NIF-S		SR02	CHROME	
96.75	3.809	MAZDA	ZZ	SWT20076-3	4	1.50	0.059	x	4.00	0.157	BF		CR02	CHROME	
						1.50	0.059	x	4.00	0.157	TUC		CR01	FERROX	
						3.00	0.118	x	3.45	0.136	NIF-S		SR02	CHROME	
96.75mm (3.809"): 1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")															
96.75	3.809	FORD	ZX	SWL03268-3	4	1.50	0.059	x	3.45	0.136	BF		CR02	CHROME	
						1.50	0.059	x	4.00	0.157	T1-RC		CR01	FERROX	
						4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
96.75	3.809	MAZDA	ZZ	SWT20071-3	4	1.50	0.059	x	4.00	0.157	BF		CR02	CHROME	
						1.50	0.059	x	4.00	0.157	TUC		CR01	FERROX	
						4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
96.75mm (3.809"): 1.50mm (0.059") x 1.75mm (0.069") x 3.00mm (0.118")															
96.75	3.809	BENZ		SWE10788-4 DELETE	8	1.50	0.059	x	3.70	0.146	BF-IB		SR10	CHROME	
						1.75	0.069	x	4.10	0.161	TUC		CR01	FERROX	
						3.00	0.118	x	3.20	0.126	E-BC16		SR10	CHROME	
96.75mm (3.809"): 1.75mm (0.069") x 1.75mm (0.069") x 3.50mm (0.138")															
96.75	3.809	VOLVO		SWE51274-3 DELETE	4	1.75	0.069	x	3.25	0.128	BF-IB		SR10	CHROME	
						1.75	0.069	x	3.50	0.138	TUC		CR01	FERROX	
						3.50	0.138	x	3.40	0.118	NIF-S		SR02	CHROME	
96.75mm (3.809"): 1.75mm (0.069") x 2.00mm (0.079") x 3.50mm (0.138")															
96.75	3.809	BENZ		SWE10248-4 DELETE	8	1.75	0.069	x	3.20	0.126	BF-IB		SR10	CHROME	
						2.00	0.079	x	3.50	0.138	T1		CR01	FERROX	
						3.50	0.138	x	3.40	0.134	E-BC16		SR10	CHROME	

NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch					mm	inch		mm	inch					
96.75mm (3.809"): 1.98mm (0.078") x 1.98mm (0.078") x 4.76mm (0.187")															
96.75	3.809	GMC	ZY	SWG10023-1 (SWL03233-1)	8	1.98	0.078	x	3.50	0.138	BF		SR35	GAS NITRIDED	
						1.98	0.078	x	4.40	0.173	T1-RC		CR01	FERROX	
						4.76	0.187	x	4.05	0.159	NIF-S		SR02	CHROME	
96.75mm (3.809"): 2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")															
96.75	3.809	NISSAN	ZZ	SWN30122-3	6	2.00	0.079	x	3.30	0.130	BF		SR35	GAS NITRIDED	
						2.00	0.079	x	4.20	0.165	T1		CR02	CHROME	
						4.00	0.157	x	3.25	0.128	NIF-S		SR34	SOFT NITRIDED	
96.80mm (3.811"): 1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")															
96.80	3.811	FORD	ZZ	SWF30004-0 (SWL03108-0)	6	1.50	0.059	x	3.45	0.136	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	4.20	0.165	T1-RC		CR01	FERROX	
						3.00	0.118	x	3.20	0.126	NIF-S		SR34	SOFT NITRIDED	
96.80	3.811	FORD	ZY	SWF30004AM-0 (SWL03108AM-0)	6	1.50	0.059	x	3.45	0.136	BF		SR10	CHROME	
						1.50	0.059	x	4.20	0.165	T1-RC		CR01	FERROX	
						3.00	0.118	x	3.25	0.128	NIF-S		SR02	CHROME	
96.80mm (3.811"): 1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")															
96.80	3.811	FORD	ZY	SWF30013-0	6	1.50	0.059	x	3.45	0.136	BF-IB		SR10	CHROME	
						1.50	0.059	x	4.20	0.165	T1-RC		CR01	FERROX	
						4.00	0.157	x	3.20	0.126	NIF-S		SR02	CHROME	
96.80mm (3.811"): 2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")															
96.80	3.811	FORD	ZZ	SWF30015-0	6	2.00	0.079	x	4.40	0.173	BF		CR02	CHROME	
						2.00	0.079	x	4.40	0.173	T1-RC		CR01	FERROX	
						4.00	0.157	x	4.05	0.159	NIF-S		SR02	CHROME	
96.85mm (3.813"): 1.20mm (0.047") x 1.50mm (0.059") x 4.00mm (0.157")															
96.85	3.813	HI PERFORM		XH3813	1	1.20	0.047	x	3.65	0.144	BF		SR10	CHROME	
						1.50	0.059	x	4.20	0.165	T1		CR01	FERROX	
						4.00	0.157	x	3.90	0.154	NIF-S		SR02	CHROME	
96.90mm (3.815"): 1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")															
96.90	3.815	SUBARU	ZZ	SWF20045-0	4	1.20	0.047	x	3.25	0.128	BF-IB		SR10	CHROME	
						1.50	0.059	x	3.90	0.154	ES-TUC		CR01	FERROX	
						3.00	0.118	x	3.30	0.130	NIF-S		SR02	CHROME	
96.90mm (3.815"): 1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")															
96.90	3.815	SUBARU	ZZ	SWF20067-0	4	1.50	0.059	x	3.25	0.128	BF-IB		SR10	CHROME	
						1.50	0.059	x	3.90	0.154	ES-TUC		CR01	FERROX	
						3.00	0.118	x	3.30	0.130	NIF-S		SR02	CHROME	
97.00mm (3.819"): 1.00mm (0.039") x 1.20mm (0.047") x 2.00mm (0.079")															
97.00	3.819	HI PERFORM		21-GRN09700NS	1	1.00	0.039	x	3.50	0.138	BF		SR34	GAS NITRIDED	
						1.20	0.047	x	3.90	0.154	TUH		CR01	FERROX	
						2.00	0.079	x	2.55	0.100	NIF-H		SR34	SOFT NITRIDED	
97.00mm (3.819"): 1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")															
97.00	3.819	HI PERFORM		21-GNH09700	1	1.00	0.039	x	3.50	0.138	BF		SR34	GAS NITRIDED	
						1.20	0.047	x	3.90	0.154	TUH		CR01	FERROX	
						2.80	0.110	x	3.10	0.122	NIF-H		SR34	SOFT NITRIDED	

NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS
mm	inch					mm	inch		mm	inch				
97.00mm (3.819"):														
1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")														
97.00	3.819	CHRYSLER	ZZ	SWC10025-4	6	1.20	0.047	x	3.10	0.122	BF		SR34	GAS NITRIDED
						1.20	0.047	x	3.70	0.146	TUC		CR01	FERROX
						2.00	0.079	x	2.55	0.100	NIF-H		SR34	SOFT NITRIDED
97.00	3.819	HYUNDAI	ZZ	SWG30064-4	6	1.20	0.047	x	3.05	0.120	BF-IB		SR10	CHROME
						1.20	0.047	x	3.70	0.146	TUC		CR01	FERROX
						2.00	0.079	x	2.55	0.100	NIF-H		SR34	SOFT NITRIDED
97.00mm (3.819"):														
1.20mm (0.047") x 1.20mm (0.047") x 2.80mm (0.110")														
97.00	3.819	HI PERFORM	ZZ	21-GNXR09700	1	1.20	0.047	x	3.50	0.138	BF-IB		SR35	GAS NITRIDED
						1.20	0.047	x	4.00	0.157	T1		CR10	FERROX
						2.80	0.110	x	3.05	0.120	NIF-S		SR34	SOFT NITRIDED
97.00mm (3.819"):														
1.20mm (0.047") x 1.50mm (0.059") x 2.00mm (0.079")														
97.00	3.819	GMC	ZZ	SWG10003-2 (SWL03091-2)	6	1.20	0.047	x	3.65	0.144	BF		SR35	GAS NITRIDED
						1.50	0.059	x	3.80	0.150	T1-RC		CR01	FERROX
						2.00	0.079	x	3.05	0.120	NIF-H		SR34	SOFT NITRIDED
97.00	3.819	GMC	ZY	SWG10003AM-2 (SWL03091AM-2)	6	1.20	0.047	x	3.65	0.144	BF		SR10	CHROME
						1.50	0.059	x	3.80	0.150	T1-RC		CR01	FERROX
						2.00	0.079	x	3.05	0.120	NIF-H		SR02	CHROME
97.00mm (3.819"):														
1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")														
97.00 ADD	3.819	GMC	ZZ	SWG10059-4	8	1.20	0.047	x	3.30	0.130	BF		SR34	GAS NITRIDED
						1.50	0.059	x	3.70	0.146	TUH		CR01	FERROX
						2.50	0.098	x	3.00	0.118	NIF-H		SR02	CHROME
97.00mm (3.819"):														
1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")														
97.00	3.819	CHRYSLER	ZX	SWC10015-4 (SWL03188-4)	6	1.20	0.047	x	3.50	0.138	BF		SR35	GAS NITRIDED
						1.50	0.059	x	4.00	0.157	T1-RC		CR01	FERROX
						3.00	0.118	x	3.20	0.126	NIF-S		SR34	SOFT NITRIDED
97.00	3.819	CHRYSLER	ZZ	SWC10013-4 (SWL03225-4)	6	1.20	0.047	x	3.50	0.138	BF		SR35	GAS NITRIDED
						1.50	0.059	x	4.00	0.157	TUC		CR01	FERROX
						3.00	0.118	x	3.45	0.136	NIF-S		SR02	CHROME
97.00	3.819	BENZ	ZZ	SWE40858-0 DELETE	8	1.20	0.047	x	3.50	0.138	BF-IB		SR35	GAS NITRIDED
						1.50	0.059	x	4.00	0.157	TUC		CR01	FERROX
						3.00	0.118	x	3.10	0.122	NIF-S		SR34	SOFT NITRIDED
97.00	3.819	GMC	ZZ	SWG10006-2 (SWL03107-2)	6	1.20	0.047	x	3.65	0.144	BF		SR10	CHROME
						1.50	0.059	x	3.80	0.150	T1-RC		CR01	FERROX
						3.00	0.118	x	2.95	0.116	NIF-S		SR02	CHROME
97.00mm (3.819"):														
1.20mm (0.047") x 1.50mm (0.059") x 4.00mm (0.157")														
97.00	3.819	HI PERFORM	ZZ	XH3819	1	1.20	0.047	x	3.60	0.142	BF		SR10	CHROME
						1.50	0.059	x	4.20	0.165	T1		CR01	FERROX
						4.00	0.157	x	3.35	0.132	NIF-S		SR02	CHROME
97.00	3.819	HI PERFORM	ZZ	XH3819LG	1	1.20	0.047	x	3.60	0.142	BF		SR10	CHROME
						1.50	0.059	x	4.20	0.165	T1		CR01	FERROX
						4.00	0.157	x	3.35	0.132	NIF-S		SR02	CHROME

NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch					mm	inch		mm	inch					
97.00mm (3.819"): 1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")															
97.00	3.819	CHRYSLER	ZZ	SWC10005-4 (SWL03105-4)	6	1.50	0.059	x	3.45	0.136	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	4.00	0.157	T1-RC		CR01	FERROX	
						3.00	0.118	x	3.45	0.136	NIF-S		SR34	SOFT NITRIDED	
97.00	3.819	CHRYSLER	ZY	SWC10005AM-4 (SWL03105AM-4)	6	1.50	0.059	x	3.45	0.136	BF		SR10	CHROME	
						1.50	0.059	x	4.00	0.157	T1-RC		CR01	FERROX	
						3.00	0.118	x	3.45	0.136	NIF-S		SR02	CHROME	
97.00	3.819	GMC	ZZ	SWG10005-4 (SWL03106-4)	8	1.50	0.059	x	3.45	0.136	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	4.00	0.157	T1-RC		CR01	FERROX	
						3.00	0.118	x	3.25	0.128	NIF-S		SR34	SOFT NITRIDED	
97.00	3.819	GMC	ZY	SWG10005AM-4 (SWL03106AM-4)	8	1.50	0.059	x	3.45	0.136	BF		SR10	CHROME	
						1.50	0.059	x	4.00	0.157	T1-RC		CR01	FERROX	
						3.00	0.118	x	3.25	0.128	NIF-S		SR02	CHROME	
97.00	3.819	MAZDA	ZZ	SWT20076-4	4	1.50	0.059	x	4.00	0.157	BF		CR02	CHROME	
						1.50	0.059	x	4.00	0.157	TUC		CR01	FERROX	
						3.00	0.118	x	3.45	0.136	NIF-S		SR02	CHROME	
97.00mm (3.819"): 1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")															
97.00	3.819	FORD	ZX	SWL03268-4	4	1.50	0.059	x	3.45	0.136	BF		CR02	CHROME	
						1.50	0.059	x	4.00	0.157	T1-RC		CR01	FERROX	
						4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
97.00	3.819	MAZDA	ZZ	SWT20071-4	4	1.50	0.059	x	4.00	0.157	BF		CR02	CHROME	
						1.50	0.059	x	4.00	0.157	TUC		CR01	FERROX	
						4.00	0.157	x	3.25	0.128	NIF-S		SR02	CHROME	
97.00mm (3.819"): 1.50mm (0.059") x 1.75mm (0.069") x 3.00mm (0.118")															
97.00	3.819	BENZ		SWE10788-2 DELETE	8	1.50	0.059	x	3.70	0.146	BF-IB		SR10	CHROME	
						1.75	0.069	x	4.10	0.161	TUC		CR01	FERROX	
						3.00	0.118	x	3.20	0.126	E-BC16		SR10	CHROME	
97.00mm (3.819"): 1.75mm (0.069") x 1.75mm (0.069") x 3.50mm (0.138")															
97.00	3.819	VOLVO		SWE51274-4 DELETE	4	1.75	0.069	x	3.25	0.128	BF-IB		SR10	CHROME	
						1.75	0.069	x	3.50	0.138	TUC		CR01	FERROX	
						3.50	0.138	x	3.40	0.118	NIF-S		SR02	CHROME	
97.00mm (3.819"): 1.75mm (0.069") x 2.00mm (0.079") x 3.50mm (0.138")															
97.00	3.819	BENZ		SWE10248-2 DELETE	8	1.75	0.069	x	3.20	0.126	BF-IB		SR10	CHROME	
						2.00	0.079	x	3.50	0.138	T1		CR01	FERROX	
						3.50	0.138	x	3.40	0.134	E-BC16		SR10	CHROME	
97.00mm (3.819"): 1.98mm (0.078") x 1.98mm (0.078") x 4.76mm (0.187")															
97.00	3.819	GMC	ZY	SWG10023-2 (SWL03233-2)	8	1.98	0.078	x	3.50	0.138	BF		SR35	GAS NITRIDED	
						1.98	0.078	x	4.40	0.173	T1-RC		CR01	FERROX	
						4.76	0.187	x	4.05	0.159	NIF-S		SR02	CHROME	
97.00mm (3.819"): 2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")															
97.00	3.819	NISSAN	ZZ	SWN30122-4	6	2.00	0.079	x	3.30	0.130	BF		SR35	GAS NITRIDED	
						2.00	0.079	x	4.20	0.165	T1		CR02	CHROME	
						4.00	0.157	x	3.25	0.128	NIF-S		SR34	SOFT NITRIDED	
97.03mm (3.820"): 1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")															
97.03	3.820	HI PERFORM		21-GNHD3820	1	1.50	0.059	x	3.50	0.138	BF-IB		SR35	GAS NITRIDED	
						1.50	0.059	x	3.90	0.154	TUC		CR01	FERROX	
						3.00	0.118	x	2.90	0.114	NIF-H		SR34	SOFT NITRIDED	

NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch					mm	inch		mm	inch					
97.05mm (3.821"):															
1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")															
97.05	3.821	FORD	ZZ	SWF30004-1 (SWL03108-1)	6	1.50	0.059	x	3.45	0.136	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	4.20	0.165	T1-RC		CR01	FERROX	
						3.00	0.118	x	3.20	0.126	NIF-S		SR34	SOFT NITRIDED	
97.05	3.821	FORD	ZY	SWF30004AM-1 (SWL03108AM-1)	6	1.50	0.059	x	3.45	0.136	BF		SR10	CHROME	
						1.50	0.059	x	4.20	0.165	T1-RC		CR01	FERROX	
						3.00	0.118	x	3.25	0.128	NIF-S		SR02	CHROME	
97.05mm (3.821"):															
1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")															
97.05	3.821	FORD	ZY	SWF30013-1	6	1.50	0.059	x	3.45	0.136	BF-IB		SR10	CHROME	
						1.50	0.059	x	4.20	0.165	T1-RC		CR01	FERROX	
						4.00	0.157	x	3.20	0.126	NIF-S		SR02	CHROME	
97.05mm (3.821"):															
2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")															
97.05	3.821	FORD	ZZ	SWF30015-1	6	2.00	0.079	x	4.40	0.173	BF		CR02	CHROME	
						2.00	0.079	x	4.40	0.173	T1-RC		CR01	FERROX	
						4.00	0.157	x	4.05	0.159	NIF-S		SR02	CHROME	
97.105mm (3.823"):															
1.20mm (0.047") x 1.50mm (0.059") x 4.00mm (0.157")															
97.105	3.823	HI PERFORM		XH3823	1	1.20	0.047	x	3.65	0.144	BF		SR10	CHROME	
						1.50	0.059	x	4.20	0.165	T1		CR01	FERROX	
						4.00	0.157	x	3.90	0.154	NIF-S		SR02	CHROME	
97.15mm (3.825"):															
1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")															
97.15	3.825	SUBARU	ZZ	SWF20045-1	4	1.20	0.047	x	3.25	0.128	BF-IB		SR10	CHROME	
						1.50	0.059	x	3.90	0.154	ES-TUC		CR01	FERROX	
						3.00	0.118	x	3.30	0.130	NIF-S		SR02	CHROME	
97.15mm (3.825"):															
1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")															
97.15	3.825	SUBARU	ZZ	SWF20067-1	4	1.50	0.059	x	3.25	0.128	BF-IB		SR10	CHROME	
						1.50	0.059	x	3.90	0.154	ES-TUC		CR01	FERROX	
						3.00	0.118	x	3.30	0.130	NIF-S		SR02	CHROME	
97.25mm (3.829"):															
1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")															
97.25	3.829	HI PERFORM		21-GNH09725	1	1.00	0.039	x	3.50	0.138	BF		SR34	GAS NITRIDED	
						1.20	0.047	x	3.90	0.154	TUH		CR01	FERROX	
						2.80	0.110	x	3.10	0.122	NIF-H		SR34	SOFT NITRIDED	
97.25mm (3.829"):															
1.20mm (0.047") x 1.20mm (0.047") x 2.80mm (0.110")															
97.25	3.829	HI PERFORM		21-GNXR09725	1	1.20	0.047	x	3.50	0.138	BF-IB		SR35	GAS NITRIDED	
						1.20	0.047	x	4.00	0.157	T1		CR10	FERROX	
						2.80	0.110	x	3.05	0.120	NIF-S		SR34	SOFT NITRIDED	
97.25mm (3.829"):															
1.20mm (0.047") x 1.50mm (0.059") x 2.00mm (0.079")															
97.25	3.829	GMC	ZZ	SWG10003-3 (SWL03091-3)	6	1.20	0.047	x	3.65	0.144	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	3.80	0.150	T1-RC		CR01	FERROX	
						2.00	0.079	x	3.05	0.120	NIF-H		SR34	SOFT NITRIDED	
97.25	3.829	GMC	ZY	SWG10003AM-3 (SWL03091AM-3)	6	1.20	0.047	x	3.65	0.144	BF		SR10	CHROME	
						1.50	0.059	x	3.80	0.150	T1-RC		CR01	FERROX	
						2.00	0.079	x	3.05	0.120	NIF-H		SR02	CHROME	

NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS
mm	inch					mm	inch		mm	inch				
97.25mm (3.829"):														
1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")														
97.25	3.829	BENZ		SWE10858-4 DELETE	8	1.20	0.047	x	3.50	0.138	BF-IB	SR35	GAS NITRIDED	
						1.50	0.059	x	4.00	0.157	TUC	CR01	FERROX	
						3.00	0.118	x	3.10	0.122	NIF-S	SR34	SOFT NITRIDED	
97.25	3.829	GMC	ZZ	SWG10006-3 (SWL03107-3)	6	1.20	0.047	x	3.65	0.144	BF	SR10	CHROME	
						1.50	0.059	x	3.80	0.150	T1-RC	CR01	FERROX	
						3.00	0.118	x	2.95	0.116	NIF-S	SR02	CHROME	
97.25mm (3.829"):														
1.50mm (0.059") x 1.75mm (0.069") x 3.00mm (0.118")														
97.25	3.829	BENZ		SWE10788-3 DELETE	8	1.50	0.059	x	3.70	0.146	BF-IB	SR10	CHROME	
						1.75	0.069	x	4.10	0.161	TUC	CR01	FERROX	
						3.00	0.118	x	3.20	0.126	E-BC16	SR10	CHROME	
97.25mm (3.829"):														
1.75mm (0.069") x 2.00mm (0.079") x 3.50mm (0.138")														
97.25	3.829	BENZ		SWE10248-3 DELETE	8	1.75	0.069	x	3.20	0.126	BF-IB	SR10	CHROME	
						2.00	0.079	x	3.50	0.138	T1	CR01	FERROX	
						3.50	0.138	x	3.40	0.134	E-BC16	SR10	CHROME	
97.25mm (3.829"):														
1.98mm (0.078") x 1.98mm (0.078") x 4.76mm (0.187")														
97.25	3.829	GMC	ZY	SWG10023-3 (SWL03233-3)	8	1.98	0.078	x	3.50	0.138	BF	SR35	GAS NITRIDED	
						1.98	0.078	x	4.40	0.173	T1-RC	CR01	FERROX	
						4.76	0.187	x	4.05	0.159	NIF-S	SR02	CHROME	
97.30mm (3.831"):														
1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")														
97.30	3.831	FORD	ZZ	SWF30004-2 (SWL03108-2)	6	1.50	0.059	x	3.45	0.136	BF	SR35	GAS NITRIDED	
						1.50	0.059	x	4.20	0.165	T1-RC	CR01	FERROX	
						3.00	0.118	x	3.20	0.126	NIF-S	SR34	SOFT NITRIDED	
97.30	3.831	FORD	ZY	SWF30004AM-2 (SWL03108AM-2)	6	1.50	0.059	x	3.45	0.136	BF	SR10	CHROME	
						1.50	0.059	x	4.20	0.165	T1-RC	CR01	FERROX	
						3.00	0.118	x	3.25	0.128	NIF-S	SR02	CHROME	
97.30mm (3.831"):														
1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")														
97.30	3.831	FORD	ZY	SWF30013-2	6	1.50	0.059	x	3.45	0.136	BF-IB	SR10	CHROME	
						1.50	0.059	x	4.20	0.165	T1-RC	CR01	FERROX	
						4.00	0.157	x	3.20	0.126	NIF-S	SR02	CHROME	
97.30mm (3.831"):														
2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")														
97.30	3.831	FORD	ZZ	SWF30015-2	6	2.00	0.079	x	4.40	0.173	BF	CR02	CHROME	
						2.00	0.079	x	4.40	0.173	T1-RC	CR01	FERROX	
						4.00	0.157	x	4.05	0.159	NIF-S	SR02	CHROME	
97.36mm (3.833"):														
1.20mm (0.047") x 1.50mm (0.059") x 4.00mm (0.157")														
97.36	3.833	HI PERFORM		XH3833	1	1.20	0.047	x	3.65	0.144	BF	SR10	CHROME	
						1.50	0.059	x	4.20	0.165	T1	CR01	FERROX	
						4.00	0.157	x	3.90	0.154	NIF-S	SR02	CHROME	
97.40mm (3.835"):														
1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")														
97.40	3.835	SUBARU	ZZ	SWF20045-2	4	1.20	0.047	x	3.25	0.128	BF-IB	SR10	CHROME	
						1.50	0.059	x	3.90	0.154	ES-TUC	CR01	FERROX	
						3.00	0.118	x	3.30	0.130	NIF-S	SR02	CHROME	
97.40mm (3.835"):														
1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")														
97.40	3.835	SUBARU	ZZ	SWF20067-2	4	1.50	0.059	x	3.25	0.128	BF-IB	SR10	CHROME	
						1.50	0.059	x	3.90	0.154	ES-TUC	CR01	FERROX	
						3.00	0.118	x	3.30	0.130	NIF-S	SR02	CHROME	

NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch					mm	inch		mm	inch					
97.50mm (3.839"): 1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")															
97.50	3.839	HI PERFORM		21-GNH09750	1	1.00	0.039	x	3.50	0.138	BF		SR34	GAS NITRIDED	
						1.20	0.047	x	3.90	0.154	TUH		CR01	FERROX	
						2.80	0.110	x	3.10	0.122	NIF-H		SR34	SOFT NITRIDED	
97.50mm (3.839"): 1.20mm (0.047") x 1.20mm (0.047") x 2.80mm (0.110")															
97.50	3.839	HI PERFORM		21-GNXR09750	1	1.20	0.047	x	3.50	0.138	BF-IB		SR35	GAS NITRIDED	
						1.20	0.047	x	4.00	0.157	T1		CR10	FERROX	
						2.80	0.110	x	3.05	0.120	NIF-S		SR34	SOFT NITRIDED	
97.50mm (3.839"): 1.20mm (0.047") x 1.50mm (0.059") x 2.00mm (0.079")															
97.50	3.839	GMC	ZZ	SWG10003-4 (SWL03091-4)	6	1.20	0.047	x	3.65	0.144	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	3.80	0.150	T1-RC		CR01	FERROX	
						2.00	0.079	x	3.05	0.120	NIF-H		SR34	SOFT NITRIDED	
97.50	3.839	GMC	ZY	SWG10003AM-4 (SWL03091AM-4)	6	1.20	0.047	x	3.65	0.144	BF		SR10	CHROME	
						1.50	0.059	x	3.80	0.150	T1-RC		CR01	FERROX	
						2.00	0.079	x	3.05	0.120	NIF-H		SR02	CHROME	
97.50mm (3.839"): 1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")															
97.50	3.839	BENZ		SWE40858-2 DELETE	8	1.20	0.047	x	3.50	0.138	BF-IB		SR35	GAS NITRIDED	
						1.50	0.059	x	4.00	0.157	TUC		CR01	FERROX	
						3.00	0.118	x	3.10	0.122	NIF-S		SR34	SOFT NITRIDED	
97.50	3.839	GMC	ZZ	SWG10006-4 (SWL03107-4)	6	1.20	0.047	x	3.65	0.144	BF		SR10	CHROME	
						1.50	0.059	x	3.80	0.150	T1-RC		CR01	FERROX	
						3.00	0.118	x	2.95	0.116	NIF-S		SR02	CHROME	
97.50mm (3.839"): 1.20mm (0.047") x 1.50mm (0.059") x 4.00mm (0.157")															
97.50	3.839	HI PERFORM		XH3839	1	1.20	0.047	x	3.60	0.142	BF		SR10	CHROME	
						1.50	0.059	x	4.20	0.165	T1		CR01	FERROX	
						4.00	0.157	x	3.35	0.132	NIF-S		SR02	CHROME	
97.50	3.839	HI PERFORM		XH3839LG	1	1.20	0.047	x	3.60	0.142	BF		SR10	CHROME	
						1.50	0.059	x	4.20	0.165	T1		CR01	FERROX	
						4.00	0.157	x	3.35	0.132	NIF-S		SR02	CHROME	
97.50mm (3.839"): 1.50mm (0.059") x 1.75mm (0.069") x 3.00mm (0.118")															
97.50	3.839	BENZ		SWE40788-4 DELETE	8	1.50	0.059	x	3.70	0.146	BF-IB		SR10	CHROME	
						1.75	0.069	x	4.10	0.161	TUC		CR01	FERROX	
						3.00	0.118	x	3.20	0.126	E-BC16		SR10	CHROME	
97.50mm (3.839"): 1.75mm (0.069") x 2.00mm (0.079") x 3.50mm (0.138")															
97.50	3.839	BENZ		SWE40248-4 DELETE	8	1.75	0.069	x	3.20	0.126	BF-IB		SR10	CHROME	
						2.00	0.079	x	3.50	0.138	T1		CR01	FERROX	
						3.50	0.138	x	3.40	0.134	E-BC16		SR10	CHROME	
97.50mm (3.839"): 1.98mm (0.078") x 1.98mm (0.078") x 4.76mm (0.187")															
97.50	3.839	GMC	ZY	SWG10023-4 (SWL03233-4)	8	1.98	0.078	x	3.50	0.138	BF		SR35	GAS NITRIDED	
						1.98	0.078	x	4.40	0.173	T1-RC		CR01	FERROX	
						4.76	0.187	x	4.05	0.159	NIF-S		SR02	CHROME	
97.55mm (3.841"): 1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")															
97.55	3.841	FORD	ZZ	SWF30004-3 (SWL03108-3)	6	1.50	0.059	x	3.45	0.136	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	4.20	0.165	T1-RC		CR01	FERROX	
						3.00	0.118	x	3.20	0.126	NIF-S		SR34	SOFT NITRIDED	
97.55	3.841	FORD	ZY	SWF30004AM-3 (SWL03108AM-3)	6	1.50	0.059	x	3.45	0.136	BF		SR10	CHROME	
						1.50	0.059	x	4.20	0.165	T1-RC		CR01	FERROX	
						3.00	0.118	x	3.25	0.128	NIF-S		SR02	CHROME	

NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS
mm	inch					mm	inch		mm	inch				
97.55mm (3.841"): 1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")														
97.55	3.841	FORD	ZY	SWF30013-3	6	1.50	0.059	x	3.45	0.136	BF-IB	SR10	CHROME	
						1.50	0.059	x	4.20	0.165	T1-RC	CR01	FERROX	
						4.00	0.157	x	3.20	0.126	NIF-S	SR02	CHROME	
97.55mm (3.841"): 2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")														
97.55	3.841	FORD	ZZ	SWF30015-3	6	2.00	0.079	x	4.40	0.173	BF	CR02	CHROME	
						2.00	0.079	x	4.40	0.173	T1-RC	CR01	FERROX	
						4.00	0.157	x	4.05	0.159	NIF-S	SR02	CHROME	
97.61mm (3.843"): 1.20mm (0.047") x 1.50mm (0.059") x 4.00mm (0.157")														
97.61	3.843	HI PERFORM		XH3843	1	1.20	0.047	x	3.65	0.144	BF	SR10	CHROME	
						1.50	0.059	x	4.20	0.165	T1	CR01	FERROX	
						4.00	0.157	x	3.90	0.154	NIF-S	SR02	CHROME	
97.65mm (3.844"): 1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")														
97.65	3.844	SUBARU	ZZ	SWF20045-3	4	1.20	0.047	x	3.25	0.128	BF-IB	SR10	CHROME	
						1.50	0.059	x	3.90	0.154	ES-TUC	CR01	FERROX	
						3.00	0.118	x	3.30	0.130	NIF-S	SR02	CHROME	
97.65mm (3.844"): 1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")														
97.65	3.844	SUBARU	ZZ	SWF20067-3	4	1.50	0.059	x	3.25	0.128	BF-IB	SR10	CHROME	
						1.50	0.059	x	3.90	0.154	ES-TUC	CR01	FERROX	
						3.00	0.118	x	3.30	0.130	NIF-S	SR02	CHROME	
97.75mm (3.848"): 1.20mm (0.047") x 1.20mm (0.047") x 2.80mm (0.110")														
97.75	3.848	HI PERFORM		21-GNXR09775	1	1.20	0.047	x	3.50	0.138	BF-IB	SR35	GAS NITRIDED	
						1.20	0.047	x	4.00	0.157	T1	CR10	FERROX	
						2.80	0.110	x	3.05	0.120	NIF-S	SR34	SOFT NIRIDED	
97.75mm (3.848"): 1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")														
97.75	3.848	BENZ		SWE40858-3 DELETE	8	1.20	0.047	x	3.50	0.138	BF-IB	SR35	GAS NITRIDED	
						1.50	0.059	x	4.00	0.157	TUC	CR01	FERROX	
						3.00	0.118	x	3.10	0.122	NIF-S	SR34	SOFT NITRIDED	
97.80mm (3.850"): 1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")														
97.80	3.850	FORD	ZZ	SWF30004-4 (SWL03108-4)	6	1.50	0.059	x	3.45	0.136	BF	SR35	GAS NITRIDED	
						1.50	0.059	x	4.20	0.165	T1-RC	CR01	FERROX	
						3.00	0.118	x	3.20	0.126	NIF-S	SR34	SOFT NITRIDED	
97.80	3.850	FORD	ZY	SWF30004AM-4 (SWL03108AM-4)	6	1.50	0.059	x	3.45	0.136	BF	SR10	CHROME	
						1.50	0.059	x	4.20	0.165	T1-RC	CR01	FERROX	
						3.00	0.118	x	3.25	0.128	NIF-S	SR02	CHROME	
97.80mm (3.850"): 1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")														
97.80	3.850	FORD	ZY	SWF30013-4	6	1.50	0.059	x	3.45	0.136	BF-IB	SR10	CHROME	
						1.50	0.059	x	4.20	0.165	T1-RC	CR01	FERROX	
						4.00	0.157	x	3.20	0.126	NIF-S	SR02	CHROME	
97.80mm (3.850"): 2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")														
97.80	3.850	FORD	ZZ	SWF30015-4	6	2.00	0.079	x	4.40	0.173	BF	CR02	CHROME	
						2.00	0.079	x	4.40	0.173	T1-RC	CR01	FERROX	
						4.00	0.157	x	4.05	0.159	NIF-S	SR02	CHROME	
97.90mm (3.854"): 1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")														
97.90	3.854	SUBARU	ZZ	SWF20045-4	4	1.20	0.047	x	3.25	0.128	BF-IB	SR10	CHROME	
						1.50	0.059	x	3.90	0.154	ES-TUC	CR01	FERROX	
						3.00	0.118	x	3.30	0.130	NIF-S	SR02	CHROME	

NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	TYP	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS
mm	inch					mm	inch		mm	inch				
97.90mm (3.854"): 1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")														
97.90	3.854	SUBARU	ZZ	SWF20067-4	4	1.50	0.059	x	3.25	0.128	BF-IB	SR10	CHROME	
						1.50	0.059	x	3.90	0.154	ES-TUC	CR01	FERROX	
						3.00	0.118	x	3.30	0.130	NIF-S	SR02	CHROME	
98.00mm (3.858"): 1.00mm (0.039") x 1.20mm (0.047") x 2.00mm (0.079")														
98.00	3.858	HI PERFORM		21-GRN09800NS	1	1.00	0.039	x	3.50	0.138	BF	SR34	GAS NITRIDED	
						1.20	0.047	x	4.10	0.161	TUH	CR01	FERROX	
						2.00	0.079	x	2.55	0.100	NIF-H	SR34	SOFT NITRIDED	
98.00mm (3.858"): 1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")														
98.00	3.858	HI PERFORM		21-GNH09800	1	1.00	0.039	x	3.50	0.138	BF	SR34	GAS NITRIDED	
						1.20	0.047	x	3.90	0.154	TUH	CR01	FERROX	
						2.80	0.110	x	3.10	0.122	NIF-H	SR34	SOFT NITRIDED	
98.00mm (3.858"): 1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")														
98.00	3.858	NISSAN	ZZ	SWN30177-0	8	1.20	0.047	x	3.15	0.124	BF	SR34	GAS NITRIDED	
						1.20	0.047	x	4.30	0.169	TUC	CR01	FERROX	
						2.50	0.098	x	2.50	0.098	NIF-H	SR34	SOFT NITRIDED	
98.00mm (3.858"): 1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")														
98.00	3.858	BENZ		SWE12618-0 DELETE	8	1.20	0.047	x	3.40	0.134	BF-IB	SR35	GAS NITRIDED	
						1.50	0.059	x	4.00	0.157	TUC	CR01	FERROX	
						2.50	0.098	x	2.50	0.098	NIF-S	SR34	SOFT NITRIDED	
98.00mm (3.858"): 1.20mm (0.047") x 1.20mm (0.047") x 2.80mm (0.110")														
98.00	3.858	HI PERFORM		21-GNXR09800	1	1.20	0.047	x	3.50	0.138	BF-IB	SR35	GAS NITRIDED	
						1.20	0.047	x	4.00	0.157	T1	CR10	FERROX	
						2.80	0.110	x	3.05	0.120	NIF-S	SR34	SOFT NITRIDED	
98.00mm (3.858"): 1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")														
98.00	3.858	BENZ		SWE10858-4 DELETE	8	1.20	0.047	x	3.50	0.138	BF-IB	SR35	GAS NITRIDED	
						1.50	0.059	x	4.00	0.157	TUC	CR01	FERROX	
						3.00	0.118	x	3.10	0.122	NIF-S	SR34	SOFT NITRIDED	
98.00mm (3.858"): 1.20mm (0.047") x 1.50mm (0.059") x 4.00mm (0.157")														
98.00	3.858	HI PERFORM		XH3858	1	1.20	0.047	x	3.60	0.142	BF	SR10	CHROME	
						1.50	0.059	x	4.20	0.165	T1	CR01	FERROX	
						4.00	0.157	x	3.35	0.132	NIF-S	SR02	CHROME	
98.00	3.858	HI PERFORM		XH3858LG	1	1.20	0.047	x	3.60	0.142	BF	SR10	CHROME	
						1.50	0.059	x	4.20	0.165	T1	CR01	FERROX	
						4.00	0.157	x	3.35	0.132	NIF-S	SR02	CHROME	
98.00mm (3.858"): 1.50mm (0.059") x 1.50mm (0.059") x 2.50mm (0.098")														
98.00	3.858	NISSAN	ZZ	SWN30149-0	8	1.50	0.059	x	3.45	0.136	BF	SR10	CHROME	
						1.50	0.059	x	4.30	0.169	TUC	CR01	FERROX	
						2.50	0.098	x	2.60	0.102	NIF-S	SR02	CHROME	
98.00	3.858	NISSAN	ZZ	SWN30160-0	8	1.50	0.059	x	3.45	0.136	BF	SR35	GAS NITRIDED	
						1.50	0.059	x	4.30	0.169	TUC	CR01	FERROX	
						2.50	0.098	x	2.60	0.102	NIF-S	SR34	SOFT NITRIDED	
98.20mm (3.866"): 1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")														
98.20	3.866	NISSAN	ZZ	SWN30183-0	8	1.20	0.047	x	3.15	0.124	BF	SR34	GAS NITRIDED	
						1.20	0.047	x	4.30	0.169	TUC	CR01	FERROX	
						2.50	0.098	x	2.50	0.098	NIF-H	SR34	SOFT NITRIDED	

WARNING!!! : NO OVERSIZE

NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS
mm	inch					mm	inch		mm	inch				
98.20mm (3.866"): 1.50mm (0.059") x 1.50mm (0.059") x 2.50mm (0.098")														
98.20	3.866	NISSAN	ZZ	SWN30161-0	8	1.50	0.059	x	3.45	0.136	BF		SR10	CHROME
						1.50	0.059	x	4.30	0.169	TUC		CR01	FERROX
						2.50	0.098	x	2.60	0.102	NIF-S		SR02	CHROME
WARNING!!! : NO OVERSIZE														
98.20mm (3.866"): 2.35mm (0.093") x 2.00mm (0.079") x 3.00mm (0.118")														
98.20	3.866	FORD	ZX	SDF30022-0	8	2.35	0.093	x	3.50	0.138	BF-K1		SR35	GAS NITRIDED
ADD						2.00	0.079	x	4.30	0.169	T1-RC		CR01	FERROX
						3.00	0.118	x	3.25	0.128	E-BC16		SR35	GAS NITRIDED
98.25mm (3.868"): 1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")														
98.25	3.868	NISSAN	ZZ	SWN30177-1	8	1.20	0.047	x	3.15	0.124	BF		SR34	GAS NITRIDED
						1.20	0.047	x	4.30	0.169	TUC		CR01	FERROX
						2.50	0.098	x	2.50	0.098	NIF-H		SR34	SOFT NITRIDED
98.25mm (3.868"): 1.20mm (0.047") x 1.20mm (0.047") x 2.80mm (0.110")														
98.25	3.868	HI PERFORM		21-GNXR09825	1	1.20	0.047	x	3.50	0.138	BF-IB		SR35	GAS NITRIDED
						1.20	0.047	x	4.00	0.157	T1		CR10	FERROX
						2.80	0.110	x	3.05	0.120	NIF-S		SR34	SOFT NITRIDED
98.25mm (3.868"): 1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")														
98.25	3.868	BENZ		SWE42648-4 DELETE	8	1.20	0.047	x	3.40	0.134	BF-IB		SR35	GAS NITRIDED
						1.50	0.059	x	4.00	0.157	TUC		CR01	FERROX
						2.50	0.098	x	2.50	0.098	NIF-S		SR34	SOFT NITRIDED
98.25mm (3.868"): 1.50mm (0.059") x 1.50mm (0.059") x 2.50mm (0.098")														
98.25	3.868	NISSAN	ZZ	SWN30149-1	8	1.50	0.059	x	3.45	0.136	BF		SR10	CHROME
						1.50	0.059	x	4.30	0.169	TUC		CR01	FERROX
						2.50	0.098	x	2.60	0.102	NIF-S		SR02	CHROME
98.25	3.868	NISSAN	ZZ	SWN30160-1	8	1.50	0.059	x	3.45	0.136	BF		SR35	GAS NITRIDED
						1.50	0.059	x	4.30	0.169	TUC		CR01	FERROX
						2.50	0.098	x	2.60	0.102	NIF-S		SR34	SOFT NITRIDED
98.43mm (3.875"): 1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")														
98.43	3.875	CHRYSLER	ZX	SWC10011-0 (SWL03218-0)	4	1.50	0.059	x	3.50	0.138	BF		SR35	GAS NITRIDED
						1.50	0.059	x	4.50	0.177	T1-RC		CR01	FERROX
						4.00	0.157	x	3.20	0.126	NIF-S		SR02	CHROME
98.43	3.875	CHRYSLER	ZY	SWC10012-0 (SWL03219-0)	6	1.50	0.059	x	3.50	0.138	BF		SR35	GAS NITRIDED
						1.50	0.059	x	4.50	0.177	T1-RC		CR01	FERROX
						4.00	0.157	x	3.20	0.126	NIF-S		SR02	CHROME
98.43mm (3.875"): 2.00mm (0.079") x 2.00mm (0.079") x 4.76mm (0.187")														
98.43	3.875	CHRYSLER	ZY	SWC10014-0 (SWL03242-0)	4	2.00	0.079	x	3.50	0.138	BF		SR35	GAS NITRIDED
						2.00	0.079	x	4.55	0.179	T1-RC		CR01	FERROX
						4.76	0.187	x	4.15	0.163	NIF-S		SR02	CHROME
98.43	3.875	CHRYSLER		SWC10044-0-6CYL DELETE	6	2.00	0.078	x	3.50	0.138	BF		SR35	GAS NITRIDED
						2.00	0.078	x	4.55	0.179	T1-RC		CR01	FERROX
						4.76	0.187	x	4.20	0.165	NIF-S		SR02	CHROME
98.45mm (3.876"): 2.35mm (0.093") x 2.00mm (0.079") x 3.00mm (0.118")														
98.45	3.876	FORD	ZX	SDF30022-1	8	2.35	0.093	x	3.50	0.138	BF-K1		SR35	GAS NITRIDED
ADD						2.00	0.079	x	4.30	0.169	T1-RC		CR01	FERROX
						3.00	0.118	x	3.25	0.128	E-BC16		SR35	GAS NITRIDED

NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch					mm	inch		mm	inch					
98.50mm (3.878"): 1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")															
98.50	3.878	NISSAN	ZZ	SWN30177-2	8	1.20	0.047	x	3.15	0.124	BF		SR34	GAS NITRIDED	
						1.20	0.047	x	4.30	0.169	TUC		CR01	FERROX	
						2.50	0.098	x	2.50	0.098	NIF-H		SR34	SOFT NITRIDED	
98.50mm (3.878"): 1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")															
98.50	3.878	BENZ	ZZ	SWE12618-2 DELETE	8	1.20	0.047	x	3.40	0.134	BF-IB		SR35	GAS NITRIDED	
						1.50	0.059	x	4.00	0.157	TUC		CR01	FERROX	
						2.50	0.098	x	2.50	0.098	NIF-S		SR34	SOFT NITRIDED	
98.50mm (3.878"): 1.20mm (0.047") x 1.50mm (0.059") x 4.00mm (0.157")															
98.50	3.878	HI PERFORM	ZZ	XH3878	1	1.20	0.047	x	3.60	0.142	BF		SR10	CHROME	
						1.50	0.059	x	4.20	0.165	T1		CR01	FERROX	
						4.00	0.157	x	3.35	0.132	NIF-S		SR02	CHROME	
98.50	3.878	HI PERFORM	ZZ	XH3878LG	1	1.20	0.047	x	3.60	0.142	BF		SR10	CHROME	
						1.50	0.059	x	4.20	0.165	T1		CR01	FERROX	
						4.00	0.157	x	3.35	0.132	NIF-S		SR02	CHROME	
98.50mm (3.878"): 1.50mm (0.059") x 1.50mm (0.059") x 2.50mm (0.098")															
98.50	3.878	NISSAN	ZZ	SWN30149-2	8	1.50	0.059	x	3.45	0.136	BF		SR10	CHROME	
						1.50	0.059	x	4.30	0.169	TUC		CR01	FERROX	
						2.50	0.098	x	2.60	0.102	NIF-S		SR02	CHROME	
98.50	3.878	NISSAN	ZZ	SWN30160-2	8	1.50	0.059	x	3.45	0.136	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	4.30	0.169	TUC		CR01	FERROX	
						2.50	0.098	x	2.60	0.102	NIF-S		SR34	SOFT NITRIDED	
98.68mm (3.885"): 1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")															
98.68	3.885	CHRYSLER	ZX	SWC10011-1 (SWL03218-1)	4	1.50	0.059	x	3.50	0.138	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	4.50	0.177	T1-RC		CR01	FERROX	
						4.00	0.157	x	3.20	0.126	NIF-S		SR02	CHROME	
98.68	3.885	CHRYSLER	ZY	SWC10012-1 (SWL03219-1)	6	1.50	0.059	x	3.50	0.138	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	4.50	0.177	T1-RC		CR01	FERROX	
						4.00	0.157	x	3.20	0.126	NIF-S		SR02	CHROME	
98.68mm (3.885"): 2.00mm (0.079") x 2.00mm (0.079") x 4.76mm (0.187")															
98.68	3.885	CHRYSLER	ZY	SWC10014-1 (SWL03242-1)	4	2.00	0.079	x	3.50	0.138	BF		SR35	GAS NITRIDED	
						2.00	0.079	x	4.55	0.179	T1-RC		CR01	FERROX	
						4.76	0.187	x	4.15	0.163	NIF-S		SR02	CHROME	
98.68	3.885	CHRYSLER	ZY	SWC10044-1-6CYL DELETE	6	2.00	0.078	x	3.50	0.138	BF		SR35	GAS NITRIDED	
						2.00	0.078	x	4.55	0.179	T1-RC		CR01	FERROX	
						4.76	0.187	x	4.20	0.165	NIF-S		SR02	CHROME	
98.70mm (3.886"): 2.35mm (0.093") x 2.00mm (0.079") x 3.00mm (0.118")															
98.70 ADD	3.886	FORD	ZX	SDF30022-2	8	2.35	0.093	x	3.50	0.138	BF-K1		SR35	GAS NITRIDED	
						2.00	0.079	x	4.30	0.169	T1-RC		CR01	FERROX	
						3.00	0.118	x	3.25	0.128	E-BC16		SR35	GAS NITRIDED	
98.75mm (3.888"): 1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")															
98.75	3.888	NISSAN	ZZ	SWN30177-3	8	1.20	0.047	x	3.15	0.124	BF		SR34	GAS NITRIDED	
						1.20	0.047	x	4.30	0.169	TUC		CR01	FERROX	
						2.50	0.098	x	2.50	0.098	NIF-H		SR34	SOFT NITRIDED	
98.75mm (3.888"): 1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")															
98.75	3.888	BENZ	ZZ	SWE12618-3 DELETE	8	1.20	0.047	x	3.40	0.134	BF-IB		SR35	GAS NITRIDED	
						1.50	0.059	x	4.00	0.157	TUC		CR01	FERROX	
						2.50	0.098	x	2.50	0.098	NIF-S		SR34	SOFT NITRIDED	

NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	TYP	NPR PART NUMBER	C	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch					mm	inch		mm	inch					
98.75mm (3.888"):															
1.50mm (0.059") x 1.50mm (0.059") x 2.50mm (0.098")															
98.75	3.888	NISSAN	ZZ	SWN30149-3	8	1.50	0.059	x	3.45	0.136	BF		SR10	CHROME	
						1.50	0.059	x	4.30	0.169	TUC		CR01	FERROX	
						2.50	0.098	x	2.60	0.102	NIF-S		SR02	CHROME	
98.75	3.888	NISSAN	ZZ	SWN30160-3	8	1.50	0.059	x	3.45	0.136	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	4.30	0.169	TUC		CR01	FERROX	
						2.50	0.098	x	2.60	0.102	NIF-S		SR34	SOFT NITRIDED	
98.93mm (3.895"):															
1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")															
98.93	3.895	CHRYSLER	ZX	SWC10011-2 (SWL03218-2)	4	1.50	0.059	x	3.50	0.138	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	4.50	0.177	T1-RC		CR01	FERROX	
						4.00	0.157	x	3.20	0.126	NIF-S		SR02	CHROME	
98.93	3.895	CHRYSLER	ZY	SWC10012-2 (SWL03219-2)	6	1.50	0.059	x	3.50	0.138	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	4.50	0.177	T1-RC		CR01	FERROX	
						4.00	0.157	x	3.20	0.126	NIF-S		SR02	CHROME	
98.93mm (3.895"):															
2.00mm (0.079") x 2.00mm (0.079") x 4.76mm (0.187")															
98.93	3.895	CHRYSLER		SWC10014-2 DELETE	4	2.00	0.079	x	3.50	0.138	BF		SR35	GAS NITRIDED	
						2.00	0.079	x	4.55	0.179	T1-RC		CR01	FERROX	
						4.76	0.187	x	4.15	0.163	NIF-S		SR02	CHROME	
98.93	3.895	CHRYSLER		SWC10014-2-6CYL DELETE	6	2.00	0.078	x	3.50	0.138	BF		SR35	GAS NITRIDED	
						2.00	0.078	x	4.55	0.179	T1-RC		CR01	FERROX	
						4.76	0.187	x	4.20	0.165	NIF-S		SR02	CHROME	
98.95mm (3.896"):															
2.35mm (0.093") x 2.00mm (0.079") x 3.00mm (0.118")															
98.95 ADD	3.896	FORD	ZX	SDF30022-3	8	2.35	0.093	x	3.50	0.138	BF-K1		SR35	GAS NITRIDED	
						2.00	0.079	x	4.30	0.169	T1-RC		CR01	FERROX	
						3.00	0.118	x	3.25	0.128	E-BC16		SR35	GAS NITRIDED	
99.00mm (3.898"):															
1.00mm (0.039") x 1.20mm (0.047") x 2.00mm (0.079")															
99.00	3.898	HI PERFORM		21-GRN09900NS	1	1.00	0.039	x	3.50	0.138	BF		SR34	GAS NITRIDED	
						1.20	0.047	x	4.10	0.161	TUH		CR01	FERROX	
						2.00	0.079	x	2.55	0.100	NIF-H		SR34	SOFT NITRIDED	
99.00mm (3.898"):															
1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")															
99.00	3.898	NISSAN	ZZ	SWN30177-4	8	1.20	0.047	x	3.15	0.124	BF		SR34	GAS NITRIDED	
						1.20	0.047	x	4.30	0.169	TUC		CR01	FERROX	
						2.50	0.098	x	2.50	0.098	NIF-H		SR34	SOFT NITRIDED	
99.00mm (3.898"):															
1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")															
99.00	3.898	BENZ		SWE12618-4 DELETE	8	1.20	0.047	x	3.40	0.134	BF-IB		SR35	GAS NITRIDED	
						1.50	0.059	x	4.00	0.157	TUC		CR01	FERROX	
						2.50	0.098	x	2.50	0.098	NIF-S		SR34	SOFT NITRIDED	
99.00	3.898	GMC	ZZ	SWG10049-0	6	1.20	0.047	x	3.30	0.130	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	3.75	0.148	TUC		CR01	FERROX	
						2.50	0.098	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
99.00mm (3.898"):															
1.50mm (0.059") x 1.50mm (0.059") x 2.50mm (0.098")															
99.00	3.898	NISSAN	ZZ	SWN30149-4	8	1.50	0.059	x	3.45	0.136	BF		SR10	CHROME	
						1.50	0.059	x	4.30	0.169	TUC		CR01	FERROX	
						2.50	0.098	x	2.60	0.102	NIF-S		SR02	CHROME	
99.00	3.898	NISSAN	ZZ	SWN30160-4	8	1.50	0.059	x	3.45	0.136	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	4.30	0.169	TUC		CR01	FERROX	
						2.50	0.098	x	2.60	0.102	NIF-S		SR34	SOFT NITRIDED	

NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch					mm	inch		mm	inch					
99.00mm (3.898"): 1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")															
99.00	3.898	GMC	ZZ	SWG10018-0 (SWL03149-0)	8	1.50	0.059	x	3.50	0.138	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	4.10	0.161	TUC		CR01	FERROX	
						3.00	0.118	x	3.20	0.126	NIF-S		SR34	SOFT NITRIDED	
99.00mm (3.898"): 2.85mm (0.112") x 2.00mm (0.079") x 2.50mm (0.098")															
99.00 ADD	3.898	FORD	ZZ	SDF30025-0	8	2.85	0.112	x	3.60	0.142	BF-K1		SR35	GAS NITRIDED	
						2.00	0.079	x	3.60	0.142	T1-RC		CR01	FERROX	
						2.50	0.098	x	2.85	0.112	E-BC16		SR35	GAS NITRIDED	
99.18mm (3.905"): 1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")															
99.18	3.905	CHRYSLER	ZX	SWC10011-3 (SWL03218-3)	4	1.50	0.059	x	3.50	0.138	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	4.50	0.177	T1-RC		CR01	FERROX	
						4.00	0.157	x	3.20	0.126	NIF-S		SR02	CHROME	
99.18	3.905	CHRYSLER	ZY	SWC10012-3 (SWL03219-3)	6	1.50	0.059	x	3.50	0.138	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	4.50	0.177	T1-RC		CR01	FERROX	
						4.00	0.157	x	3.20	0.126	NIF-S		SR02	CHROME	
99.18mm (3.905"): 2.00mm (0.079") x 2.00mm (0.079") x 4.76mm (0.187")															
99.18	3.905	CHRYSLER	ZY	SWC10014-3 (SWL03242-3)	4	2.00	0.079	x	3.50	0.138	BF		SR35	GAS NITRIDED	
						2.00	0.079	x	4.55	0.179	T1-RC		CR01	FERROX	
						4.76	0.187	x	4.15	0.163	NIF-S		SR02	CHROME	
99.18	3.905	CHRYSLER		SWC10044-3-6CYL DELETE	6	2.00	0.078	x	3.50	0.138	BF		SR35	GAS NITRIDED	
						2.00	0.078	x	4.55	0.179	T1-RC		CR01	FERROX	
						4.76	0.187	x	4.20	0.165	NIF-S		SR02	CHROME	
99.19mm (3.905"): 1.20mm (0.047") x 1.20mm (0.047") x 3.00mm (0.118")															
99.19 ADD	3.905	HI PERFORM		20-GNHS3905K8 (21-GNHS3905K for 1Cyl)	8	1.20	0.047	x	3.70	0.146	BF-IB		SR35	GAS NITRIDED	
						1.20	0.047	x	3.85	0.152	TUH		CR10	FERROX	
						3.00	0.118	x	3.70	0.146	NIF-H		SR34	SOFT NITRIDED	
99.19mm (3.905"): 1.20mm (0.047") x 1.50mm (0.059") x 3.00mm (0.118")															
99.19 ADD	3.905	HI PERFORM		20-GNHM3905K8 (21-GNHM3905K for 1Cyl)	8	1.20	0.047	x	3.70	0.146	BF-IB		SR35	GAS NITRIDED	
						1.50	0.059	x	3.90	0.154	TUC		CR01	FERROX	
						3.00	0.118	x	3.70	0.146	NIF-H		SR34	SOFT NITRIDED	
99.19mm (3.905"): 1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")															
99.19 ADD	3.905	HI PERFORM		20-GNHD3905K8 (21-GNHD3905K for 1Cyl)	8	1.50	0.059	x	3.50	0.138	BF-IB		SR35	GAS NITRIDED	
						1.50	0.059	x	3.90	0.154	TUC		CR01	FERROX	
						3.00	0.118	x	3.70	0.146	NIF-H		SR34	SOFT NITRIDED	
99.20mm (3.906"): 2.35mm (0.093") x 2.00mm (0.079") x 3.00mm (0.118")															
99.20 ADD	3.906	FORD	ZX	SDF30022-4	8	2.35	0.093	x	3.50	0.138	BF-K1		SR35	GAS NITRIDED	
						2.00	0.079	x	4.30	0.169	T1-RC		CR01	FERROX	
						3.00	0.118	x	3.25	0.128	E-BC16		SR35	GAS NITRIDED	
99.25mm (3.907"): 1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")															
99.25	3.907	GMC	ZZ	SWG10049-1	6	1.20	0.047	x	3.30	0.130	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	3.75	0.148	TUC		CR01	FERROX	
						2.50	0.098	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
99.25mm (3.907"): 1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")															
99.25	3.907	GMC	ZZ	SWG10018-1 (SWL03149-1)	8	1.50	0.059	x	3.50	0.138	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	4.10	0.161	TUC		CR01	FERROX	
						3.00	0.118	x	3.20	0.126	NIF-S		SR34	SOFT NITRIDED	

NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch					mm	inch		mm	inch					
99.25mm (3.907"):		2.85mm (0.112") x 2.00mm (0.079") x 2.50mm (0.098")													
99.25 ADD	3.907	FORD	ZZ	SDF30025-1	8	2.85	0.112	x	3.60	0.142	BF-K1		SR35	GAS NITRIDED	
						2.00	0.079	x	3.60	0.142	T1-RC		CR01	FERROX	
						2.50	0.098	x	2.85	0.112	E-BC16		SR35	GAS NITRIDED	
99.31mm (3.910"):		2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")													
99.31	3.910	CHRYSLER	ZZ	SWC10006-0 (SWL03132-0)	6	2.00	0.079	x	3.45	0.136	BF		SR35	GAS NITRIDED	
						2.00	0.079	x	4.50	0.177	T1-RC		CR01	FERROX	
						4.00	0.157	x	3.30	0.130	NIF-S		SR34	SOFT NITRIDED	
99.31	3.910	CHRYSLER	ZY	SWC10006AM-0 (SWL03132AM-0)	6	2.00	0.079	x	3.45	0.136	BF		SR10	CHROME	
						2.00	0.079	x	4.50	0.177	T1-RC		CR01	FERROX	
						4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
99.31	3.910	CHRYSLER		SWC10020-0 DELETE	8	2.00	0.079	x	3.50	0.138	BF		SR35	GAS NITRIDED	
						2.00	0.079	x	4.50	0.177	T1-RC		CR01	FERROX	
						4.00	0.157	x	3.10	0.122	NIF-S		SR34	SOFT NITRIDED	
99.31	3.910	CHRYSLER	ZX	SWC10020-0 (SWL03236-0)	8	2.00	0.079	x	3.45	0.136	BF		SR10	CHROME	
						2.00	0.079	x	4.50	0.177	T1		CR01	FERROX	
						4.00	0.157	x	3.10	0.122	NIF-S		SR34	SOFT NITRIDED	
99.31mm (3.910"):		2.00mm (0.079") x 2.00mm (0.079") x 4.76mm (0.187")													
99.31	3.910	CHRYSLER	ZZ	SWC10018-0	6	2.00	0.079	x	4.50	0.177	BF-IB		CR02	CHROME	
						2.00	0.079	x	4.50	0.177	T1-RC		CR01	FERROX	
						4.76	0.187	x	4.20	0.165	NIF-S		SR02	CHROME	
99.31	3.910	CHRYSLER	ZZ	SWC10019-0	8	2.00	0.079	x	4.50	0.177	BF-IB		CR10	CHROME	
						2.00	0.079	x	4.50	0.177	T1-RC		CR01	FERROX	
						4.76	0.187	x	4.20	0.165	NIF-S		SR02	CHROME	
99.43mm (3.915"):		1.50mm (0.059") x 1.50mm (0.059") x 4.00mm (0.157")													
99.43	3.915	CHRYSLER	ZX	SWC10011-4 (SWL03218-4)	4	1.50	0.059	x	3.50	0.138	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	4.50	0.177	T1-RC		CR01	FERROX	
						4.00	0.157	x	3.20	0.126	NIF-S		SR02	CHROME	
99.43	3.915	CHRYSLER	ZY	SWC10012-4 (SWL03219-4)	6	1.50	0.059	x	3.50	0.138	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	4.50	0.177	T1-RC		CR01	FERROX	
						4.00	0.157	x	3.20	0.126	NIF-S		SR02	CHROME	
99.43mm (3.915"):		2.00mm (0.079") x 2.00mm (0.079") x 4.76mm (0.187")													
99.43	3.915	CHRYSLER	ZY	SWC10014-4 (SWL03242-4)	4	2.00	0.079	x	3.50	0.138	BF		SR35	GAS NITRIDED	
						2.00	0.079	x	4.55	0.179	T1-RC		CR01	FERROX	
						4.76	0.187	x	4.15	0.163	NIF-S		SR02	CHROME	
99.43	3.915	CHRYSLER		SWC10044-4 6CYL DELETE	6	2.00	0.078	x	3.50	0.138	BF		SR35	GAS NITRIDED	
						2.00	0.078	x	4.55	0.179	T1-RC		CR01	FERROX	
						4.76	0.187	x	4.20	0.165	NIF-S		SR02	CHROME	
99.50mm (3.917"):		1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")													
99.50	3.917	HI PERFORM		21-GNH09950	1	1.00	0.039	x	3.70	0.146	BF		SR34	GAS NITRIDED	
						1.20	0.047	x	4.10	0.161	TUH		CR01	FERROX	
						2.80	0.110	x	3.10	0.122	NIF-H		SR34	SOFT NITRIDED	

NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch					mm	inch		mm	inch					
99.50mm (3.917"):															
1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")															
99.50	3.917	HI PERFORM		21-EJ25709950	4	1.20	0.047	x	3.70	0.146	BF-IB		SR34	GAS NITRIDED	
						1.20	0.047	x	4.10	0.161	TUH		CR01	FERROX	
						2.00	0.079	x	2.70	0.106	NIF-H		SR02	CHROME	
99.50	3.917	SUBARU	ZZ	SWF20068-0	4	1.20	0.047	x	3.45	0.136	BF-IB		SR10	CHROME	
						1.20	0.047	x	4.00	0.157	ES-TUC		CR01	FERROX	
						2.00	0.079	x	2.70	0.106	NIF-H		SR02	CHROME	
99.50	3.917	GMC	ZZ	SWC10024-0	8	1.50	0.059	x	3.10	0.122	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	4.00	0.157	TUC		CR01	FERROX	
						3.00	0.118	x	2.70	0.106	NIF-H		SR02	CHROME	
99.50mm (3.917"):															
1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")															
99.50	3.917	HI PERFORM		21-EJ25509950	4	1.20	0.047	x	3.70	0.146	BF-IB		SR34	GAS NITRIDED	
						1.20	0.047	x	4.10	0.161	TUH		CR01	FERROX	
						2.50	0.098	x	2.80	0.110	NIF-H		SR02	CHROME	
99.50	3.917	SUBARU	ZZ	SWF20066-0	4	1.20	0.047	x	3.45	0.136	BF-IB		SR10	CHROME	
						1.20	0.047	x	4.00	0.157	ES-TUC		CR01	FERROX	
						2.50	0.098	x	2.80	0.110	NIF-S		SR02	CHROME	
99.50mm (3.917"):															
1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")															
99.50	3.917	GMC	ZZ	SWG10049-2	6	1.20	0.047	x	3.30	0.130	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	3.75	0.148	TUC		CR01	FERROX	
						2.50	0.098	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
99.50mm (3.917"):															
1.20mm (0.047") x 1.50mm (0.059") x 2.80mm (0.110")															
99.50	3.917	SUBARU	ZZ	SWF20064-0	4	1.20	0.047	x	3.45	0.136	BF-IB		SR10	CHROME	
						1.50	0.059	x	4.00	0.157	ES-TUC		CR01	FERROX	
						2.80	0.110	x	3.15	0.124	NIF-S		SR02	CHROME	
99.50mm (3.917"):															
1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")															
99.50	3.917	GMC	ZZ	SWG10018-2 (SWL03149-2)	8	1.50	0.059	x	3.50	0.138	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	4.10	0.161	TUC		CR01	FERROX	
						3.00	0.118	x	3.20	0.126	NIF-S		SR34	SOFT NITRIDED	
99.50	3.917	CHRYSLER	ZX	SWC10016-0 (SWL03190-0)	8	1.50	0.059	x	3.50	0.138	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	4.50	0.177	T1-RC		CR01	FERROX	
						3.00	0.118	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
99.50mm (3.917"):															
2.00mm (0.079") x 1.50mm (0.059") x 4.00mm (0.122")															
99.50	3.917	NISSAN	ZZ	SWN30181-0	6	2.00	0.079	x	3.50	0.138	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	4.20	0.165	T1		CR01	FERROX	
						4.00	0.157	x	3.10	0.122	NIF-S		SR34	SOFT NITRIDED	
99.50mm (3.917"):															
2.85mm (0.112") x 2.00mm (0.079") x 2.50mm (0.098")															
99.50 ADD	3.917	FORD	ZZ	SDF30025-2	8	2.85	0.112	x	3.60	0.142	BF-K1		SR35	GAS NITRIDED	
						2.00	0.079	x	3.60	0.142	T1-RC		CR01	FERROX	
						2.50	0.098	x	2.85	0.112	E-BC16		SR35	GAS NITRIDED	

NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS
mm	inch					mm	inch		mm	inch				
99.56mm (3.920"):														
2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")														
99.56	3.920	CHRYSLER	ZZ	SWC10006-1 (SWL03132-1)	6	2.00	0.079	x	3.45	0.136	BF		SR35	GAS NITRIDED
						2.00	0.079	x	4.50	0.177	T1-RC		CR01	FERROX
						4.00	0.157	x	3.30	0.130	NIF-S		SR34	SOFT NITRIDED
99.56	3.920	CHRYSLER	ZY	SWC10006AM-1 (SWL03132AM-1)	6	2.00	0.079	x	3.45	0.136	BF		SR10	CHROME
						2.00	0.079	x	4.50	0.177	T1-RC		CR01	FERROX
						4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME
99.56	3.920	CHRYSLER		SWC10020-1 DELETE	8	2.00	0.079	x	3.45	0.136	BF		SR35	GAS NITRIDED
						2.00	0.079	x	4.50	0.177	T1-RC		CR01	FERROX
						4.00	0.157	x	3.10	0.122	NIF-S		SR34	SOFT NITRIDED
99.56	3.920	CHRYSLER	ZX	SWC10020-1 (SWL03236-0)	8	2.00	0.079	x	3.45	0.136	BF		SR10	CHROME
						2.00	0.079	x	4.50	0.177	T1		CR01	FERROX
						4.00	0.157	x	3.10	0.122	NIF-S		SR34	SOFT NITRIDED
99.56mm (3.920"):														
2.00mm (0.079") x 2.00mm (0.079") x 4.76mm (0.187")														
99.56	3.920	CHRYSLER	ZZ	SWC10018-1	6	2.00	0.079	x	4.50	0.177	BF-IB		CR02	CHROME
						2.00	0.079	x	4.50	0.177	T1-RC		CR01	FERROX
						4.76	0.187	x	4.20	0.165	NIF-S		SR02	CHROME
99.56	3.920	CHRYSLER	ZZ	SWC10019-1	8	2.00	0.079	x	4.50	0.177	BF-IB		CR02	CHROME
						2.00	0.079	x	4.50	0.177	T1-RC		CR01	FERROX
						4.76	0.187	x	4.20	0.165	NIF-S		SR02	CHROME
99.60mm (3.921"):														
1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")														
99.60 ADD	3.921	GMC	ZZ	SWG10062-0	6	1.20	0.047	x	3.55	0.140	BF		SR35	GAS NITRIDED
						1.50	0.059	x	3.90	0.154	TUH		CR01	FERROX
						2.50	0.098	x	2.90	0.114	NIF-S		SR34	SOFT NITRIDED
99.75mm (3.927"):														
1.00mm (0.039") x 1.20mm (0.047") x 2.80mm (0.110")														
99.75	3.927	HI PERFORM		21-GNH09975	1	1.00	0.039	x	3.70	0.146	BF		SR34	GAS NITRIDED
						1.20	0.047	x	4.10	0.161	TUH		CR01	FERROX
						2.80	0.110	x	3.10	0.122	NIF-H		SR34	SOFT NITRIDED
99.75mm (3.927"):														
1.20mm (0.047") x 1.20mm (0.047") x 2.00mm (0.079")														
99.75	3.927	HI PERFORM		21-EJ25709975	4	1.20	0.047	x	3.70	0.146	BF-IB		SR34	GAS NITRIDED
						1.20	0.047	x	4.10	0.161	TUH		CR01	FERROX
						2.00	0.079	x	2.70	0.106	NIF-H		SR02	CHROME
99.75	3.927	SUBARU	ZZ	SWF20068-1	4	1.20	0.047	x	3.45	0.136	BF-IB		SR10	CHROME
						1.20	0.047	x	4.00	0.157	ES-TUC		CR01	FERROX
						2.00	0.079	x	2.70	0.106	NIF-H		SR02	CHROME
99.75	3.927	GMC	ZZ	SWC10024-1	8	1.50	0.059	x	3.10	0.122	BF		SR35	GAS NITRIDED
						1.50	0.059	x	4.00	0.157	TUC		CR01	FERROX
						3.00	0.118	x	2.70	0.106	NIF-H		SR02	CHROME
99.75mm (3.927"):														
1.20mm (0.047") x 1.20mm (0.047") x 2.50mm (0.098")														
99.75	3.927	HI PERFORM		21-EJ25509975	4	1.20	0.047	x	3.70	0.146	BF-IB		SR34	GAS NITRIDED
						1.20	0.047	x	4.10	0.161	TUH		CR01	FERROX
						2.50	0.098	x	2.80	0.110	NIF-H		SR02	CHROME
99.75	3.927	SUBARU	ZZ	SWF20066-1	4	1.20	0.047	x	3.45	0.136	BF-IB		SR10	CHROME
						1.20	0.047	x	4.00	0.157	ES-TUC		CR01	FERROX
						2.50	0.098	x	2.80	0.110	NIF-S		SR02	CHROME

NPR of America - Piston Rings

You may not be able to buy some Items (Ex. High Performance Items) or DISCONTINUED Items.



ADD = NEW ITEMS

DIA		Maker Name	T Y P	NPR PART NUMBER	C Y L	B		x	T		RING SHAPE CODE	RING MAETRIAL CODE	RING SURFACE TREATMENT	REMARKS	
mm	inch					mm	inch		mm	inch					
99.75mm (3.927"): 1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")															
99.75	3.927	GMC	ZZ	SWG10049-3	6	1.20	0.047	x	3.30	0.130	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	3.75	0.148	TUC		CR01	FERROX	
						2.50	0.098	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
99.75mm (3.927"): 1.20mm (0.047") x 1.50mm (0.059") x 2.80mm (0.110")															
99.75	3.927	SUBARU	ZZ	SWF20064-1	4	1.20	0.047	x	3.45	0.136	BF-IB		SR10	CHROME	
						1.50	0.059	x	4.00	0.157	ES-TUC		CR01	FERROX	
						2.80	0.110	x	3.15	0.124	NIF-S		SR02	CHROME	
99.75mm (3.927"): 1.50mm (0.059") x 1.50mm (0.059") x 3.00mm (0.118")															
99.75	3.927	GMC	ZZ	SWG10018-3 (SWL03149-3)	8	1.50	0.059	x	3.50	0.138	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	4.10	0.161	TUC		CR01	FERROX	
						3.00	0.118	x	3.20	0.126	NIF-S		SR34	SOFT NITRIDED	
99.75	3.927	CHRYSLER	ZX	SWC10016-1 (SWL03190-1)	8	1.50	0.059	x	3.50	0.138	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	4.50	0.177	T1-RC		CR01	FERROX	
						3.00	0.118	x	2.85	0.112	NIF-S		SR34	SOFT NITRIDED	
99.75mm (3.927"): 2.00mm (0.079") x 1.50mm (0.059") x 4.00mm (0.122")															
99.75	3.927	NISSAN	ZZ	SWN30181-1	6	2.00	0.079	x	3.50	0.138	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	4.20	0.165	T1		CR01	FERROX	
						4.00	0.157	x	3.10	0.122	NIF-S		SR34	SOFT NITRIDED	
99.75mm (3.927"): 2.85mm (0.112") x 2.00mm (0.079") x 2.50mm (0.098")															
99.75 ADD	3.927	FORD	ZZ	SDF30025-3	8	2.85	0.112	x	3.60	0.142	BF-K1		SR35	GAS NITRIDED	
						2.00	0.079	x	3.60	0.142	T1-RC		CR01	FERROX	
						2.50	0.098	x	2.85	0.112	E-BC16		SR35	GAS NITRIDED	
99.81mm (3.930"): 2.00mm (0.079") x 2.00mm (0.079") x 4.00mm (0.157")															
99.81	3.930	CHRYSLER	ZZ	SWC10006-2 (SWL03132-2)	6	2.00	0.079	x	3.45	0.136	BF		SR35	GAS NITRIDED	
						2.00	0.079	x	4.50	0.177	T1-RC		CR01	FERROX	
						4.00	0.157	x	3.30	0.130	NIF-S		SR34	SOFT NITRIDED	
99.81	3.930	CHRYSLER	ZY	SWC10006AM-2 (SWL03132AM-2)	6	2.00	0.079	x	3.45	0.136	BF		SR10	CHROME	
						2.00	0.079	x	4.50	0.177	T1-RC		CR01	FERROX	
						4.00	0.157	x	3.30	0.130	NIF-S		SR02	CHROME	
99.81	3.930	CHRYSLER		SWC10020-2 DELETE	8	2.00	0.079	x	3.45	0.136	BF		SR35	GAS NITRIDED	
						2.00	0.079	x	4.50	0.177	T1-RC		CR01	FERROX	
						4.00	0.157	x	3.10	0.122	NIF-S		SR34	SOFT NITRIDED	
99.81	3.930	CHRYSLER	ZX	SWC10020-2 (SWL03236-0)	8	2.00	0.079	x	3.45	0.136	BF		SR10	CHROME	
						2.00	0.079	x	4.50	0.177	T1		CR01	FERROX	
						4.00	0.157	x	3.10	0.122	NIF-S		SR34	SOFT NITRIDED	
99.81mm (3.930"): 2.00mm (0.079") x 2.00mm (0.079") x 4.76mm (0.187")															
99.81	3.930	CHRYSLER	ZZ	SWC10018-2	6	2.00	0.079	x	4.50	0.177	BF-IB		CR02	CHROME	
						2.00	0.079	x	4.50	0.177	T1-RC		CR01	FERROX	
						4.76	0.187	x	4.20	0.165	NIF-S		SR02	CHROME	
99.81	3.930	CHRYSLER	ZZ	SWC10019-2	8	2.00	0.079	x	4.50	0.177	BF-IB		CR02	CHROME	
						2.00	0.079	x	4.50	0.177	T1-RC		CR01	FERROX	
						4.76	0.187	x	4.20	0.165	NIF-S		SR02	CHROME	
99.85mm (3.931"): 1.20mm (0.047") x 1.50mm (0.059") x 2.50mm (0.098")															
99.85 ADD	3.931	GMC	ZZ	SWG10062-1	6	1.20	0.047	x	3.55	0.140	BF		SR35	GAS NITRIDED	
						1.50	0.059	x	3.90	0.154	TUH		CR01	FERROX	
						2.50	0.098	x	2.90	0.114	NIF-S		SR34	SOFT NITRIDED	